

DON-JO MFG., INC.

ARCHITECTURAL
HARDWARE & ACCESSORIES

www.don-jo.com • info@don-jo.com • 1.800.628.8389

Warranties

All Products: Limited One Year Warranty

Don-Jo Mfg. Warrants to the original buyer for a period of one year that our products are free from defects in workmanship and materials. At our option we will repair or replaced free of charge, including shipping charges back to you, any product found to be defective and subject to this warranty, provided it is delivered prepaid to us.

Exclusions:

This warranty does not apply to any defects or malfunctions resulting from improper installation or use. Products and parts not manufactured by Don-Jo are guaranteed only in accordance with that manufacturer's warranty. This warranty does not cover the finish of any product. Don-Jo Mfg. shall not be liable for any consequential damages to person or property or incidental expenses resulting from breach of warranty or any implied warranty. Some states do not allow the exclusion of limitation of consequential or incidental damages, so the above exclusion or limits may not apply to you.

Endurance:

Don-Jo Mfg. warrants that all products with the ENDURANCE finish from Don-Jo shall be free from defects in material, workmanship and operation and from tarnishing, flaking, pitting, and discoloration for 10 years from date of purchase. This warranty is subject to the terms and conditions below.

Exclusions:

Small surfaces indentations and imperfections due to malleability of the material and the crafting of the product may not constitute a defect. Any damages resulting from installation of the product contrary to any of Don-Jo's written installation instructions is not covered by this warranty. Any modification of the product by any non-Don-Jo component is not covered by this warranty. Any defect caused by neglect, misuse, abuse, unreasonable or extraordinary use or maintenance is not covered by this warranty.

Hinges:

Don-Jo Mfg hinges are warranted for the lifetime of the original installation for defects in the workmanship, as it applies to function of those products. Any such defects will be repaired or replaced at Don-Jo's sole discretion and will be manufactured and shipped in a timely manner. Such decisions and subsequent action will be done at Don-Jo's discretion.

Remedies:

If a claim is made under our warranties Don-Jo has the right to investigate the claim. In the event the claim proves to be valid, Don-Jo will, at its sole option, either repair or replace the defective product. This warranty will continue in effect for the repaired or replacement Don-Jo product. If Don-Jo has discontinued the product at the time a valid claim is made, or if Don-Jo determines, in its sole discretion, that such a repair or replacement is inappropriate, Don-Jo reserves the right to refund the original purchase price of the product instead.

Except as expressly provided in this warranty to the contrary, Don-Jo shall not be liable for labor or other costs related to installation, repair or replacement or for loss or damage to, any material which is not sold by Don-Jo or for any consequential damages or lost profits.

Warranty Claims:

All claims under this warranty must be made to the claimant's Don-Jo dealer or retailer. Each claim must be in writing, briefly describing the defect, and be accompanied by a proof of purchase. The claimant must provide his or her Don-Jo dealer or retailer other information and evidence reasonably required by Don-Jo and if requested must permit inspection by Don-Jo or its representative(s). If Don-Jo determines that the claim is valid, please see remedies above.



Leeds Information

Below is a listing of the material used in the manufacturing of most items offered by Don-Jo Mfg. All domestically made products will fall under one of the sections noted below. Don-Jo manufactures all domestic products in our facility in Sterling Ma. 01564. The LEEDS information for all raw materials is as follows:

Cold Rolled Steel:

All cold rolled steel products are made from the melting of at least 25% post consumed steel products and where appropriate, combined with molten iron for the remaining portion. Post Consumer vs. Post Industrial content can not be determined.

Stainless Steel:

All Stainless Steel is made with a process of a minimum of 80% scrap stainless steel. The scrap used has shown that it is comprised of 15-20% Post Consumer scrap, 40-50% Post Industrial Scrap and 8-10% Home Scrap.

Aluminum:

All Aluminum material is made from 39 % Secondary Material and 61% Virgin Material.

Brass:

All Brass material is prepared, melted and cast with a minimum of 51% recycled brass scrape content.

Please note that all information provided above has been supplied by Don-Jo Mfg vendors. Detailed letters from each vendor can be provided from Don-Jo with a written request.



BRASS HARDWARE - Instructions for Care & Maintenance

This DON-JO product has been manufactured of high quality solid brass. Each piece has been individually coated with a superior quality clear coating for protection and durability. The environmental conditions, location and exposure to corrosives such as high industrial sites, pesticides, herbicides and coastal climates are influential in your ability to maintain the elegance, life and lustre of your brass. To maintain the beauty of your brass follow the cleaning instructions. To refinish tarnished brass follow the refurbishing instructions.

Cleaning Instructions:

- a. Using a mild detergent and a soft cloth, wash all hardware. DO NOT use abrasive cleaners, abrasive cloths or brushes as they will mar or scratch the clear coating.
- b. Apply a non-abrasive paste wax such as Johnson or Turtle Wax, per the manufacturers directions.

WARNING: The clear coating which protects your brass is resistant to most cleaners. Harsh chemicals and cleaners which come in contact with the brass should be rinsed with clear water immediately to prevent the coating from softening. Avoid the following chemicals: Hydrogen Chloride, Sodium Hyperchlorite, and Hydroxyacetic Sulfanacide.

If tarnish has formed on the brass (a brown, black, green or copper colored film), it will be necessary to remove the remaining protective coating and refurbish the brass. This can be done by a professional refinisher or restoration company, however it is also possible for you to do it yourself. Follow the refurbishing instructions.

Refurbishing Instructions:

- a. Remove the brass from the door.
- b. Using a paint stripper containing methylene chloride, per manufacturers directions, remove the clear coating. This could take up to two hours in some instances.
- c. Remove brass from stripping solution and lightly rub the surface with #00 steel or bronze wool to remove any remaining coating. Rinse each part thoroughly. Rub lightly over any tarnished areas with #00 steel or bronze wool until the original yellow brass color returns.
- d. Clean the brass surface using a brass or copper cleaner following manufacturers instructions.
- e. To reapply clear protective coating use a clear lacquer spray available at most hardware stores. In highly corrosive areas tarnishing could reappear under the new coating, therefore reapplication is not recommended. Maintaining lustre with a brass or copper cleaner is recommended.

WARNING: Refurbishing antiqued brass will result in a lightening of the antique finish. Most stripping and cleaning compounds may contain harsh chemicals. Follow the safety precautions listed on each product used.



GENERAL INFORMATION

HOW TO ORDER:

For correct ordering, and to ensure no delays in shipment of your order, the following descriptive data must be listed.

Quantity: Most of the items are ordered in per each quantities. The following are the exceptions to this rule:

1. Push/Pull Bar Sets - these come in sets of a door pull and a pushbar.
2. 1560 & 1562 which come two per box

Catalog Number: Select a catalog number. Please do not order using government or BHMA numbers.


Size: Please indicate the size of the product. Push plates, pull plates, door pulls, pushbars, push/pull bar sets, door edgings and kick plates all need a size, whether it be center-to-center or size of the plates.

Additional Information: Special fasteners, i.e., Torx screws, scotch mounting and special mountings. Any cutouts, such as cut for cylinder, cut for t-turn, cut for lock, and cut for flush bolt. With any cutouts, please provide detailed drawings showing the locations of these cutouts on the plate with the dimensions and sizes.

Finish: When the finish is the same for both inside and outside of the door, it is shown once (630). On a pull plate, the plate is indicated first, then the pull. Example: 1 ea. 7116 pull plate 4 x 16 630.

HOW TO SPECIFY FINISHES:

Please specify BMHA numbers when ordering finishes. If old U.S. finish number is ordered, all paperwork and shipping materials will be marked with BMHA numbers.



DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Philadelphia, Pennsylvania

ACCESSORY HARDWARE

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section J, Version 1



INDEX

Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #
104	5j	AP-34	3j	DV-180	3j	RP-13515	2j
106	5j	BN-4	6j	EM-2	5j	RP-13515-2	2j
125	4j	BN-6	6j	EM-4	5j	RP-13545	2j
130	4j	C5-1	6j	PBDSP-135	1j	RP-13545-2	2j
135	4j	C5-2	6j	PBSP-135	1j	RPE2000-14	2j
300	4j	C6-1	6j	PDL-100	1j	RPK-109	2j
302	4j	C6-2	6j	PDL-101	1j	SP-135	1j
350	5j	CC-100	5j	RHP-100	4j	ULDV-90	3j
1590	3j	CHP-100	4j	RP-14-2	2j	ULDV-180	3j
1603	3j	CR-1-F	6j	RP-15	2j	WB-112	4j
1604	3j	CR-2-NR	6j	RP-18	2j	WP-34	3j
1607	3j	CR-3-NF	6j	RP-27	2j		
1611	6j	DSP-135	1j	RP-13509	2j		
1613	6j	DV-90	3j	RP-13509-2	2j		


FASTENERS

Product	Fastening Type
PDL-100, PDL-101	2 ea. #6 x 1" OHSMS, 2 ea. #6 x 1/2" OHSMS
RP-13509, RP-13509-2, RP-13515, RP-13515-2, RP-13545, RP-13545-2, RP-14-2, RP-15, RP-18, RP-27, RP-28, RP-109	4 ea. #8 x 3/4" Truss Head SMS
130, 135	3 ea. #10 x 1 1/2" SMS
1603, 1604	2 ea. #6 x 3/4" SMS, 2 ea. #8 x 1" SMS
1607	6 ea. #8 x 1" SMS
1590	4 ea. #5 x 3/4" SMS
300, 302	2 ea. #6 x 5/8" SMS
EM-2, EM-4	4 ea. #8 x 3/4" Truss Head SMS
CC-100	4 ea. #8 x 3/4" SMS
104, 106	2 ea. #6 x 3/4" SMS
BN-4, BN-6	2 ea. #8 x 1" SMS
1611, 1613	2 ea. #8-32 x 2" SMS
350	2 ea. #6 x 5/8" SMS

POCKET DOOR LOCKS



PDL-100
Passage



PDL-101
Privacy


NUMBER	DIMENSIONS	ANSI
PDL-100	2 1/2" x 2 3/4"	D082 I
PDL-101	2 1/2" x 2 3/4"	D083 I

SHELF PACK: 10


Box Pack

FEATURES: •Field Reversible
•Adjustable for various door thickness
•Includes pin & screws for 1 3/4" door width


FINISHES: 605, 609, 613, 619, 620, 622, 625, 626, 605x625



SCAR PLATES used to convert 2 3/8" to 2 3/4" backset



SP-I35



DSP-I35

NUMBER	DIMENSIONS
SP-I35	3 1/2" O.D. - 2 1/8" I.D.
DSP-I35	3 1/2" O.D. - 1 1/2" I.D.
PBSP-I35	3 1/2" O.D. - 2 1/8" I.D.
PBDSP-I35	3 1/2" O.D. - 1 1/2" I.D.

SHELF PACK: 10

Display Package Size - 5 1/4" x 6 1/2"

FEATURES: • SP-I35 fits under rose of key-in-knob or deadbolt locks
• DSP-I35 fits under deadbolt collars
• SPs & DSPs are display packed
• PBSPs & PBDSPs are polybagged

FINISHES: 605, 609, 612, 630


SAVE \$!

Product available
polybagged


To order, add prefix "PB".
(i.e., SP-I35 will become
PBSP-I35)




REMODELER PLATES for modernizing or decorating




RP-13509



RP-13509-2




RP-13515



RP-13515-2




RP-E2000-14




RPK-109


Kit Contains:
(2) RP-13509
(1) CV-86-C &
all fasteners




RP-13545




RP-13545-2




RP-18



RP-15



RP-27



RP-14-2

NUMBER	DIMENSIONS
RP-13509	3 1/2" x 9"
RP-13509-2	3 1/2" x 9"
RP-13515	3 1/2" x 15"
RP-13515-2	3 1/2" x 15"
RP-13545	3 1/2" x 4 1/2"
RP-13545-2	3 1/2" x 4 1/2"
RPK-109	3 1/2" x 9"
RPE2000-14	5" x 14"
RP-15	5" x 14"
RP-18	5" x 14"
RP-27	5" x 14"
RP-14-2	5" x 14"

SHELF PACK: 10 Polybagged

RPK-109 Display Packaged Size - 7 1/2" x 13"

GAUGE: .032 thick


FINISHES: (RP-13509, RP-13509-2, RP-13545, RP-13545-2)

605, 609, 612, 630


(RP-13515, RP-13515-2, RP-109, RPE2000-14,

RP-15, RP-18, RP-27, RP-14-2) **605, 630**

DOOR VIEWERS



DV-90
ULDV-90
1/2" installation hole




DV-180
ULDV-180
9/16" installation hole

NUMBER	VIEW DIMENS.	ANSI
DV-90	160 Degrees	L21372
DV-180	180 Degrees	L21371
ULDV-90	160 Degrees	L23222
ULDV-180	180 Degrees	L23221




SHELF PACK: 10 Polybagged
FEATURES: • For doors 1 3/8" to 2" thickness
 • DV-90 and DV-180 with plastic lens
 • ULDV-90 and ULDV-180 with glass lens are UL rated
FINISHES: 605, 626

DOOR FLIP GUARDS



I603



I604



AP-34
1" x 1" x 1/2"




WP-34
1" x 1"

NUMBER	ANSI	MATERIAL
I603	L33042	Aluminum
I604	L13042	Brass
AP-34	—	—
WP-34	—	—

SHELF PACK: (I603, I604) 10 Polybagged
 (AP-34, WP-34) 100
FEATURES: • Black rubber shim available for I603 and I604
 • AP-34 included with item I604
 • Both models feature Ball Bearing Design
FINISHES: (I603, I604) 605, 606, 613, 625, 626
 (AP-34) 605, 606, 625, 626
 (WP-34) 605, 606, 625, 626, Clear

CHAIN GUARD




I607

NUMBER	MATERIAL
I607	Cast Brass

SHELF PACK: 20 Polybagged
FINISHES: 605, 625, 626

ELBOW CATCH




I590


NUMBER	MATERIAL
I590	Cast

SHELF PACK: 10 Polybagged
FINISHES: 605, 613, 625, 626

HANDRAIL BRACKETS



130



135


NUMBER	ANSI	MATERIAL
130	L33061	Cast Aluminum
135	L13061	Solid Brass

SHELF PACK: (130) 20, (135) 10 **Polybagged**

FEATURES: (130) Base 2 13/16" x 1 1/2"
(135) Base 2 1/4" x 1 1/4"

FINISHES: (130): 605, 609, 613, 619, 620, 625, 626
(135): 605, 613, 619, 620, 626

HINGE PINS/WINDOW BOLTS



CHP-100
RHP-100




WB-112

NUMBER	DIMENSIONS
CHP-100	#12 Head
RHP-100	#10 Head
WB-112	Contains: 8 Bolts, 4 Tools


SHELF PACK: (CHP-100, RHP-100) 10 pack of 2 each **Polybagged**
(WB-112) 10

FINISHES: (CHP-100, RHP-100) BP (Brass Plated), CP (Chrome Plated)
(WB-112) ZINC

COAT HOOKS



300




302

NUMBER	MATERIAL
300	Die Cast
302	Die Cast

SHELF PACK: 20 **Polybagged**
FINISHES: 605, 613, 619, 620, 625, 626

FINGER PULL




125

NUMBER	DIMENSIONS	MATERIAL
125	2 1/8"	Zinc

SHELF PACK: 50 **Polybagged**
FINISHES: 605, 609, 613, 619, 620, 625, 626, Black

SCAR PLATE for door damaged by prying




EM-2
EM-4

NUMBER	DIMENSIONS
EM-2	9" x 4" x 2 3/8"
EM-4	9" x 4 1/4" x 2 3/4"

SHELF PACK: 10 **Polybagged**
FEATURES: • Fits one side of door with curved lip
 • Fits under key-in-knob
FINISHES: 605, 630

CRASH CHAIN




CC-100

NUMBER	LENGTH
CC-100	21 3/4"

SHELF PACK: 20 **Polybagged**
FEATURE: Vinyl Cover
FINISHES: Zinc

EDGE PULLS




104

106

NUMBER	DIMENSIONS
104	3 7/8" x 3/4"
106	6" x 1 1/4"

SHELF PACK: 10 **Polybagged**
FINISHES: 605, 613, 619, 620, 626

WINDOW LOCK



350


NUMBER	DIMENSIONS		MATERIAL
	BASE	STRIKE	
350	15/16" x 2 5/8"	5/8" x 2 5/8"	Steel

SHELF PACK: 10 **Polybagged**
FINISHES: 605, 613, 619, 626




DON-JO MFG., INC.

NUMBERS/DOOR KNOCKERS



1611



1613

378

BN4 (shown)
- BN6

How to Order:
eg: BN4-2-605


NUMBER	DIMENSIONS	ANSI
1611	6 7/8" x 3 1/2"	L13151
1613	3 7/8" x 2 1/4"	L13151
BN4	4"	-
BN6	6"	-

SHELF PACK: 10 Polybagged
FEATURE: Forged Brass
FINISHES: 605

CYLINDER GUARDS



C6-1




C6-2


NUMBER	DIAMETER	THICKNESS	MATERIAL
C6-1	1 1/8"	1/4"	Steel
C6-2	1 1/8"	3/8"	Steel

SHELF PACK: 10 Polybagged
FINISHES: BP, CP, DU

CYLINDER RINGS



CR-1-F



CR-2-NR



CR-3-NF

NUMBER	DIAMETER	THICKNESS	MATERIAL
CR-1-F	1 1/4"	1/4"	Aluminum
CR-2-NR	1 1/8"	1/4"	Aluminum
CR-3-NF	1 1/8"	1/4"	Brass

SHELF PACK: 10 Polybagged
FINISHES: BP, CP, DU

CYLINDER RINGS



C5-1




C5-2

NUMBER	DIAMETER	THICKNESS	MATERIAL
C5-1	1 1/8"	1/16"	Plastic
C5-2	1 1/8"	3/16"	Brass

SHELF PACK: 10 Polybagged
FINISHES: Clear plastic, 605

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Chicago, Illinois

BOLTS & LATCHES

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section D, Version 1



INDEX

Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #
1550	2d	1580	5d	1640R	2d	1722	4d
1551	2d	1581	5d	1700	3d	1724	4d
1555	1d	1582	5d	1702	3d	RB-50	2d
1557	1d	1630	6d	1704	3d	RG-50	2d
1560	1d	1632	6d	1710	3d	SB-2	6d
1562	2d	1634	6d	1712	4d	SB-3	6d
1570	3d	1636	6d	1714	4d	SB-4	6d
1572	3d	1638	6d	1716	4d	SB-6	6d
1573	3d	1639	6d	1718	4d	SB-12	6d
1578	5d	1640	2d	1720	4d		



FLUSH BOLTS



1555
Metal Doors



1557
Wood Doors

NUMBER	SIZE	ANSI A156.16	MATERIAL
1555	Face Plate: 1" x 6 3/4"	L14251	Cast Brass
	Strike: 15/16" x 2 1/4"		
	Guide: 1" x 2"		
1557	Face Plate: 1" x 6 3/4"	L04261	Cast Brass
	Strike: 15/16" x 2 1/4"		

SHELF PACK: 10

Box Pack

FASTENERS: (1555) 4 ea. #8 x 1 1/2" Combo Screw, 4 ea. #8 x 3/4" Combo Screw
(1557) 7 ea. #8 x 3/4" Combo Screw

FEATURES: (1555) • Fits ANSI Door & Frame Prep.

• 3/4" Bolt Throw, 3/4" Rod Backset

• 12" Rod length

• 1 1/2" Adjustable Bolt Head

FEATURES: (1557) • 3/4" Bolt Throw, 3/4" Backset

• Door strength maintained by corner reinforcement plate

FINISHES: 605, 606, 612, 613, 625, 626

OPTIONS: (1555) Longer rod options available

Works w/1570 Dust Proof Strike

AUTOMATIC FLUSH BOLTS



1560
Metal Doors

NUMBER	SIZE	ANSI A156.3	MATERIAL
1560	Face Plate: 1" x 6 3/4"	Type 25	Brass
	Strike: 15/16" x 2 1/4"		Cast Brass
	Guide: 1" x 1 7/8"		Cast Brass
	Door Strike: 1 3/4" x 1 3/4"		Cast Brass

SHELF PACK: 10

Box Pack

FASTENERS: 8 ea. #8 x 3/4" Combo Screw, 2 ea. #8 x 3/8" MS

FEATURES: • Non handed

• Conforms to UL, IOC and UBC 7-2-1997

• For Fire Rated Metal Doors labeled A, B, C, D & E

• Sold in pairs

• Fits standard ANSI prep for metal doors

• Requires only 5 lbs. of force meeting ADA regulations

• 1" vertical adjustment for bolts

FINISHES: 605, 613, 626

OPTION: Works w/1570 Dust Proof Strike



AUTOMATIC FLUSH BOLT



I562
Wood Doors

NUMBER	SIZE	ANSI A156.3	MATERIAL
I562	Face Plate: 1" x 8 1/2"	Type 25	Cast Brass
	Frame Strike: 15/16" x 2 1/4"		
	Guide: 1" x 6 1/16"		
	Door Strike: 1 1/4" x 1 3/4"		

SHELF PACK: 10

Box Pack

FASTENERS: 6 ea. #8 x 3/4" Combo Screw, 2 ea. #8 x 3/8" MS, 3 ea. #10 x 1" SMS

- FEATURES:**
- Non handed
 - Conforms to UL, IOC and UBC 7-2-1997
 - For Fire Rated Wood Doors labelled B, C, D & E
 - Sold in pairs
 - Fits standard ANSI prep for wood doors
 - Requires only 5 lbs. of force meeting ADA regulations
 - Bolt has 3/4 vertical adjustments

FINISHES: 605, 613, 626

OPTION: Works w/I570 Dust Proof Strike

FLUSH BOLTS



I640



I640R

NUMBER	SIZE	ANSI A156.16	MATERIAL
I640	Face Plate: 3/4" x 6"	L04201	Cast Brass
	Strike: 15/16" x 2"		
I640R	Face Plate: 3/4" x 6"	L04201	Cast Brass
	Strike: 15/16" x 2"		

SHELF PACK: 10

Box Pack

FASTENERS: 4 ea. #6 x 3/4" SMS

- FEATURES:**
- 1" bolt throw
 - 1/2" diameter bolt
 - For wood doors only!
 - (I640R) 3/8" Radius End

FINISHES: 605, 609, 613, 619, 620, 626

ALUMINUM DOOR FLUSH BOLTS




I550



I551



RB-50



RG-50

NUMBER	DIMENSIONS	OFFSET
I550	15/16" x 4 1/4" Radius End	1/8"
I551		1/4"
RB-50	-	-
RG-50	-	-

SHELF PACK: 4

Box Pack

FASTENERS: (I550, I551) 3 ea. #8-32 x 1/2" MS

(RG50) 2 ea. #8-32 x 1/2" MS

FINISHES: SL, DU



DUST PROOF STRIKES



I570



I572



I573

NUMBER	DIMENSIONS	ANSI A156.16	MATERIAL
I570	2 7/8" x 2 1/4"	L2402I	Cast Brass
I572	15/16" Dia. x 2" Depth	L2402I	Cast Brass
I573	2 7/8" x 2 1/4"	L2402I	Cast Brass

SHELF PACK: 10

Polybagged

FASTENERS: (I570, I573) 2 ea. #8 x 1" SMS, 2 ea. Plastic Anchor

FEATURE: (I573) Can be locked closed

FINISHES: 605, 612, 613, 625, 626

(I573) 605, 613, 626

ROLLER LATCHES




I700



I702



I704



I710

NUMBER	SIZE	ANSI A156.16	MATERIAL
I700	Body: 3 3/8" x 1"	E1909I	Cast Brass
	Strike: 1 11/16" x 2 1/4"		
I702	Body: 3 3/8" x 1"	-	Cast Brass
	Strike: 1 1/8" x 2 3/4"		
I704	Body: 3 3/8" x 1"	E1909I	Cast Brass
	Strike: 1 1/4" x 4 7/8"		
I710	Body: 2 1/4" x 7/8"	L17802	Cast Brass
	Strike: 2 1/4" x 1 3/4"		

SHELF PACK: 10

Polybagged

FASTENERS: (I700, I702) 2 ea. #8 x 1" SMS, 2 ea. #8-32 x 3/4" MS, 2 ea. #10 x 1 1/2" SMS

(I704) 2 ea. #12-24 x 1/2" MS, 2 ea. #12 x 3/4" SMS, 2 ea. #10 x 1 1/2" SMS

(I710) 4 ea. #8 x 1" SMS


FEATURES: • Solid nylon roller for silent operation

• Adjustable roller latch

FINISHES: 605, 613, 619, 620, 626



BALL LATCHES



1712



1714



1716

NUMBER	LATCH DIMENSIONS	STRIKE	MATERIAL
1712	2 1/8" x 1"	2 1/8" x 1" / 2 1/8" x 1 3/8"	Cast Brass
1714	2 1/4" x 1"	2 1/8" x 1 13/32"	Cast Aluminum
1716	1"	2 1/4" x 1 13/32"	Cast Brass

SHELF PACK: 20

Polybagged

FASTENERS: (1712) 6 ea. #6 x 5/8" SMS

(1714) 4 ea. #8 x 3/4" SMS

(1716) 2 ea. #8 x 3/4" SMS

FEATURES: (1712) Packed with narrow & wide strikes / Adjustable height

(1714) Packed with full lip R/C strike


(1716) Drive In latch

FINISHES: (1712) 605, 613, 619, 620, 626

(1714) 605, 609, 613, 619, 620

(1716) 605, 609, 613, 619, 620, 626

FRICTION CATCH



1718

NUMBER	SIZE			ANSI A156.16	MATERIAL
1718	Height	Wide	Depth	B13302	Cast Brass
	Body: 1 7/8"	3/8"	7/16"		
	Strike: 1 1/8"	3/8"	7/16"		

SHELF PACK: 20

Polybagged


FASTENERS: 4 ea. #5 x 1/2" SMS

FINISHES: 605, 609, 613, 619, 620, 625, 626

MAGNETIC CATCHES



1720



1722

1724

NUMBER	DIMENSIONS	LOAD CAPACITY	ANSI A156.16	MATERIAL
1720	2 1/16" x 1 1/8" x 5/8"	5 lbs.	-	Brass
1722	3 1/8" x 1" x 9/16"	9 lbs.	B43161	Brass
1724	3 1/8" x 1" x 3/4"	14 lbs.	B43161	Brass

SHELF PACK: 10

Polybagged

FASTENERS: (1720) 3 ea. #6 x 5/8" SMS


(1722, 1724) 2 ea. #6 x 1 1/4" WS, 2 ea. #6 x 5/8" SMS

FEATURES: (1722, 1724) packaged w/multiple strikes

FINISHES: 605, 626



SURFACE BOLTS—UL RATED



NUMBER	BOLT LENGTH	ANSI A156.16	MATERIAL
1578	8"	L84161	Solid Brass
1580	8"	L84161	Solid Brass
1581	12"	L84161	Solid Brass

SHELF PACK: 10

Polybagged


FASTENERS: (1578) 5 ea. #10 x 1" MS, 5 ea. #10 x 1 1/4" SMS, 2 ea. Plastic Anchors
(1580, 1581) 8 ea. #12-24 x 1" MS, 8 ea. #12 x 1 1/4" SMS

FEATURES: • Furnished with Rim and Mortise strikes
• (1580, 1581) 1 1/8 bolt throw, 1/4" x 3/4" size
• (1578) Concealed screw mount

FINISHES: (1578) 626
(1580) 605, 613, 626
(1581) 626

OPTION: Sex bolt available

SURFACE BOLTS—UL RATED



NUMBER	BOLT LENGTH	THROW	MATERIAL
1582	8"	1"	Stainless Steel

SHELF PACK: 10

Polybagged


FASTENERS: 6 ea. #10-24 x 1" MS, 6 ea. #10 x 1 1/4" SMS

FEATURES: • 1/4" x 3/4" bolt size
• Furnished with rim and mortise strikes
• Padlock not included

FINISH: 626, 630



SLIDE BOLTS




SB-2
SB-3
SB-4
SB-6
SB-12

NUMBER	DIMENSIONS	ANSI A156.16	MATERIAL
SB-2	5/8" x 2"	L04151	Solid Brass
SB-3	5/8" x 3"	L04151	Solid Brass
SB-4	5/8" x 4"	L04151	Solid Brass
SB-6	5/8" x 6"	L04151	Solid Brass
SB-12	5/8" x 12"	L04151	Solid Brass

SHELF PACK: 10 Polybagged
FASTENERS: 6 ea. #6 x 3/4" SMS
FINISHES: (SB-2, SB-3) 605, 613, 619, 620, 625, 626
 (SB-4, SB-6, SB-12) 605, 613, 619, 620, 625, 626
FEATURES: Furnished with rim, mortise strikes

DUTCH DOOR BOLTS




1630 1636
1632 1638
1634 1639

NUMBER	DIMENSIONS	BOLT	MATERIAL
1630	4 1/2" x 1 5/8"	5/8" Half Round	Solid Brass
1632	8" x 1 5/8"	5/8" Half Round	Solid Brass
1634	12" x 1 5/8"	5/8" Half Round	Solid Brass
1636	18" x 1 5/8"	5/8" Half Round	Solid Brass
1638	24" x 1 5/8"	5/8" Half Round	Solid Brass
1639	36" x 1 5/8"	5/8" Half Round	Solid Brass

SHELF PACK: 10 Polybagged
FASTENERS: (1630) 8 ea. #6 x 1" SMS
 (1632, 1634, 1636, 1638, 1639) 11 ea. #6 x 1" SMS
FEATURES: • Furnished w/rim, mortise & t-strikes
 • 1" dia. knob
FINISHES: 605, 613, 619, 620, 625, 626

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Pittsburgh, Pennsylvania

DOOR CONTROLS

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section E, Version 1



INDEX

Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #
2011	1e	2040	1e	3024	3e	4500	4e
2012	1e	2050	1e	3123	3e	4550	4e
2021	1e	2051	1e	3124	3e	HDCC-2012	2e
2022	1e	2060	2e	3212	3e	HDCC-2512	2e
2023	1e	2080	2e	3323	4e	HDCC-3012	2e
2033	1e	3023	3e	3324	4e		

COORDINATORS SERIES

PART #	DOOR FRAME OPENING	COORDINATOR SIZE	FILLER BAR SIZE	ANSI A156.3	MATERIAL
2011	52" or less	1 5/8" x 32"	1 5/8" x 25"	Type 21	Aluminum
2012	52 1/16" to 56"	1 5/8" x 32"	1 5/8" x 32"	Type 21	Aluminum
2021	56 1/16" to 72"	1 5/8" x 52"	1 5/8" x 20"	Type 21	Aluminum
2022	72 1/16" to 84"	1 5/8" x 52"	1 5/8" x 32"	Type 21	Aluminum
2023	84 1/16" to 96"	1 5/8" x 52"	1 5/8" x 44"	Type 21	Aluminum
2033	96 1/16" to 104"	1 5/8" x 60"	1 5/8" x 44"	Type 21	Aluminum
over 104"		Call Factory			



SHELF PACK: I

Box Pack

FASTENERS: 8 ea. #12-24 x 1 1/4" MS, 6 ea. #8 x 3/4" Combo Screw

FEATURES:

- For use on pair of doors when one door must close before the other
- Safety override allows active door to close first when extreme force applied
- Filler bar available when coordinator does not fill entire length of opening
- Mounting brackets available when stop mounted hardware used

FINISH: 628 (2021 also available in Dark Brown DB)

UNIVERSAL COORDINATOR



2040

NUMBER	SIZE	ANSI A156.3	MATERIAL
2040	20 1/4" x 1 5/8"	Type 21	Steel

SHELF PACK: I

Box Pack

FASTENERS: 6 ea. #10-32 x 1 1/2" MS, 6 ea. #10 x 1 3/4" SMS

FEATURES:

- One size for all pairs of doors up to 8' wide
- Non-handed
- Stop mounted
- Meets ANSI 156.3, Type 21 requirements (when used with carry bar)
- Mounting brackets not required when using stop mounted hardware

FINISH: 622

MOUNTING BRACKETS



2050



2051

NUMBER	STOP WIDTH	SIZE	MATERIAL
2050	over 2 1/2"	5" x 3"	Aluminum
2051	under 2 1/2"	5" x 3 1/4"	Aluminum

SHELF PACK: I

Box Pack

FASTENERS: (2050) 4 ea. #10-32 X 1 1/2" M/S

(2051) 6 ea. #10-32 X 1 1/2" M/S

FEATURES:

- For stop mounted hardware
- Ready to paint aluminum, plated finishes available

FINISH: 628

CARRY BAR



2060

NUMBER	SIZE	MATERIAL
2060	4 1/4" x 1 5/8"	Steel

SHELF PACK: 1

Box Pack

FASTENERS: 3 ea. #10-32 x 1" MS, 3 ea. #10-32 x 1 9/16" Sex Nut

FEATURES: • For pair of doors, where inactive door can be opened before active door
• Mounted on inactive door

FINISH: 622

GRAVITY COORDINATOR



2080

NUMBER	SIZE	MATERIAL
2080	5 3/8" x 7"	Brass

SHELF PACK: 1

Box Pack

FASTENERS: 2 ea. #12 x 1" SMS, 5 ea. #6 x 3/4" SMS

FEATURES: • Drop arm type
• Adjustable
• Field reversible

FINISH: 626

HEAVY-DUTY CRASH CHAINS



NUMBER	SIZE	ANSI A156.3	MATERIAL
HDCC-2012	20 1/2"	LB223 I	Steel
HDCC-2512	25 1/2"	LB223 I	Steel
HDCC-3012	30 1/2"	LB223 I	Steel

SHELF PACK: 10

Polybagged

FASTENERS: 8 ea. #10 x 1" SMS

FEATURE: Gray Vinyl Cover

FINISH: 626

OPTION: Available with thru bolts, Contact factory

CONCEALED STOP

3023
3024



DOOR OPENING					
NUMBER	BUTTS	CENTER HUNG	DOOR SIZE	ANSI A156.3	MATERIAL
3023	30" to 35 15/16"	32" to 37 15/16"	30"	C0454I	Stainless Steel
3024	35" to 48"	38" to 48"	36"	C0454I	Stainless Steel

SHELF PACK: 1

Box Pack

FASTENERS: 2 ea. #10 x 1 1/2" MS, 4 ea. #10-32 x 1/2" MS, 4 ea. #10 x 1 1/2" WS

FEATURES:

- Non Handed Medium-duty overhead stop
- For interior door, single or double acting

FINISH: 630

SURFACE STOP

3123
3124



DOOR OPENING					
NUMBER	BUTTS	CENTER HUNG	DOOR SIZE	ANSI A156.3	MATERIAL
3123	30" to 35 15/16"	33-1/2" to 38 15/16"	30"	C0554I	Stainless Steel
3124	36" to 48"	39" to 48"	36"	C0554I	Stainless Steel

SHELF PACK: 1

Box Pack

FASTENERS: 2 ea. #10 x 1 1/2" MS, 4 ea. #10-32 x 1/2" MS,
4 ea. #10 x 1 1/2" WS, 2 ea. #10-32 x 1 9/16" Sex Nut

FEATURES:

- Non Handed Medium-Duty overhead stop
- For interior door, single acting

FINISH: 630

SURFACE HOLDER

3212



DOOR OPENING				
NUMBER	BUTTS	CENTER HUNG	ANSI A156.3	MATERIAL
3212	35" to 40 15/16"	38 1/2" to 44 3/16"	C0851I	Stainless Steel

SHELF PACK: 1

Box Pack

FASTENERS: 4 ea. #14 x 1 1/2" WS, 4 ea. 1/4-20 x 3/4" MS, 3 ea. 1/4-20 x 3/4" truss MS,
3 ea. 1/4-20 grommet nut

FEATURES:

- Heavy-duty overhead door holder
- For exterior, vestibule and interior doors, single acting

FINISH: 630

SURFACE STOP



**3323
3324**



NUMBER	DOOR OPENING		DOOR SIZE	ANSI A156.3	MATERIAL
	BUTTS	CENTER HUNG			
3323	32" to 35 15/16"	36" to 38 15/16"	30"	C02541	Stainless Steel
3324	36" to 39 15/16"	39" to 40 15/16"	36"	C02541	Stainless Steel

SHELF PACK: 1

Box Pack

FASTENERS: (3323, 3324) 2 ea. 5/16-18 x 2" MS, 4 ea. 1/4-20 x 3/4" MS,
4 ea. 1/4 x 1 1/2" WS, 2 ea. 5/16-18 x 1 1/2" Set Nut

FEATURES:

- Non Handed Heavy-duty overhead door stop
- For exterior, vestibule or interior doors, single acting

FINISH: 630

HOSPITAL LATCH



**4500
4550**

NUMBER	BACK SET	SIZE	MATERIAL
4500	2 3/4"	Body: 4 1/2" x 2 3/4"	Brass
		Latch: 2 1/4" x 1 1/4"	Brass
		ASA Strike: 1 1/4" x 4 7/8"	Brass
		"T" Strike: 1 1/8" x 2 3/4"	Brass
4550	5"	Body: 4 1/2" x 2 3/4"	Brass
		Latch: 2 1/4" x 1 1/4"	Brass
		ASA Strike: 1 1/4" x 4 7/8"	Brass
		"T" Strike: 1 1/8" x 2 3/4"	Brass

SHELF PACK: 1

Box Pack


FASTENERS: • 4 ea. 1/4-20 x 2 3/8" MS, 8 ea. #8-32 x 3/8" MS,
2 ea. #6 x 3/4" WS, 4 ea. 1/4-20 Nut w/nylon washer

FEATURES:


- Push/pull latch can be mounted with the handles up, down or horizontal without any modification.
- UL listed for all fire doors. • Meets ADA requirements
- Works with 1 3/4 doors
- Packed with ANSI strike and T strike as standard
- Lever projection 3 1/4"
- Bolt 1/2" throw with anti-friction nylon insert
- Non-handed (except for engraved models).

FINISH: 630


OPTIONS: When ordering engraved models, add the letter P after the item number and designate hand.




HORIZONTAL




HORIZONTAL



**LEVERS
DOWN**



**PUSH DOWN
PULL UP**

















LEVERS UP



**PUSH UP
PULL DOWN**


New Products Showcase



New Products Showcase



C Pulls I170



Ladder Pull Ladder Pull Set



I463



I846




I464



I458



46




I718



I517




I573




I581




I710



TL-1




TL-2



TL-3

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Denver, Colorado

DOOR PROTECTION PLATES & DOOR EDGES

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section A, Version 1




INDEX

Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #
81.....	5a	1288.....	2a	1311.....	3a	KP-628.....	5a
83.....	5a	1289.....	2a	1312.....	3a	KP-630.....	5a
85.....	5a	1290.....	2a	1313.....	3a	KP-632.....	5a
90.....	1a	1292.....	2a	1314.....	3a	KP-634.....	5a
91.....	1a	1293.....	2a	1315.....	3a	KP-828.....	5a
92.....	1a	1294.....	2a	1316.....	3a	KP-830.....	5a
93.....	1a	1295.....	2a	1317.....	3a	KP-832.....	5a
1284.....	2a	1297.....	2a	1318.....	3a	KP-834.....	5a
1285.....	2a	1298.....	2a	1319.....	3a	RS2430.....	5a
1286.....	2a	1299.....	2a	1320.....	3a		
1287.....	2a	1310.....	3a	1321.....	3a		




COMMERCIAL KICK PLATES

ARMOR PLATE




ANSI:
J101 Metal / J105 Plastic
Up to 48"h x 48"w for some finishes

KICK PLATE



ANSI:
J102 Metal / J106 Plastic
8" to 16"h x 48"w

MOP PLATE



ANSI:
J103 Metal / J107 Plastic
under 8"h to 48"w

FASTENERS:

- Individually packaged with screws #6 x 5/8" SMS
- Full threaded to the head stainless steel sheet metal screws with plated finish

FEATURES:

- Beveled 3 or 4 sides optional
- Commercial grade thickness
- Other thicknesses available on special order
- Furnished with grain or satin finish running horizontally to door
- Finishes: 605, 606, 609, 612, 613, 619, 620, 626, 628, 629, 630, 670, Brass Tone (BT), Dark Anodized Aluminum (DB), Kydex, and **Endurance**.™
- Plastic colors include: Black, Brown, Gray, Beige, White, Clear

ORDERING: Specify height x width x finish – add options
(e.g.: 8" X 34" - 630, Tek)

OPTIONS:

- MAG - Magnetic backing for metal doors
- SM - Double face 3M Tape (Scotch Mount)
- Tek - Self drilling screws
- CSK - Countersunk holes
- C/O - Cutout for locks, louvers & windows
- Torx - Security torx screws
- WH - Warnock Hersey listed armor plates for fire rated 3 hour metal doors*



* Only available on .050 thick 630 plates
Labelling only required when the top of the plate exceeds
16" in height

** Some options carry additional charges.

NUMBER	MATERIAL
90	.050 Metal
91	.038 Metal
92	.125 Plastic
93	.125 Clear Plastic

Warnock Hersey




New WARNOCK HERSEY LISTED ARMOR PLATES

We now offer Armor Plates for fire rated 3 hour metal doors. Please specify prefix "WH" when ordering (i.e. WH-48" x 48"-630). Screw mount only. There is a \$5.00 per plate additional charge.




ANGLE PLATES

TWO-SIDE




#1284 - Scotch Mount
#1285 - Screw Mount

ONE-SIDE



#1286 - Scotch Mount
#1287 - Screw Mount

BOTTOM SIDE



#1288 - Scotch Mount
#1289 - Screw Mount

ORDERING:

2 SIDES: PART # x A (Leg Width) x B (Door Width) x C (Leg Width) x D (Height) x Finish

ONE SIDE: PART # x A (Leg Width) x B (Door Width) x C (Height) x Finish

BOTTOM SIDE: PART # x A (Height) x B (Bottom Width) x C (Door Width) x Finish


MATERIAL: .050" Thick Aluminum, Brass, Bronze, Stainless Steel

FASTENER: #6 x 5/8 FH SMS


FINISHES: Available in standard architectural finishes, prime painted steel

OPTIONS: Cutouts for flush bolts, lock strikes, locks, and hinges (see worksheet on page 4a for details on how to order.)

CORNER GUARDS / U-CHANNELS




#1290 - Scotch Mount
#1295 - Screw Mount
ANSI 156.6 - J204



#1292 - Scotch Mount
#1293 - Screw Mount
ANSI 156.6 - J205



#1298 - Scotch Mount
#1299 - Screw Mount
ANSI 156.6 - J210



#1294 - Scotch Mount
#1297 - Screw Mount
ANSI 156.6 - J211

ORDERING:

CORNER GUARDS: PART # x A x B x HEIGHT

U-CHANNELS: PART # x A x B x C x HEIGHT

MATERIAL: .050" Thick Aluminum, Brass, Bronze, Stainless Steel

FASTENER: #6 x 5/8 FH SMS


FINISHES: Available in standard architectural finishes, prime painted steel

OPTIONS: • Cutouts for flush bolts, lock strikes, locks, and hinges (see worksheet on page 4a)


• 10° return on legs available upon request




OVERLAPPING CORNER GUARDS / U-CHANNELS




#1310 - Scotch Mount
#1311 - Screw Mount
 ANSI 156.6 - J201




#1312 - Scotch Mount
#1313 - Screw Mount
 ANSI 156.6 - J202




#1314 - Scotch Mount
#1315 - Screw Mount
 ANSI 156.6 - J207



#1316 - Scotch Mount
#1317 - Screw Mount
 ANSI 156.6 - J207



#1318 - Scotch Mount
#1319 - Screw Mount
 ANSI 156.6 - J208



#1320 - Scotch Mount
#1321 - Screw Mount
 ANSI 156.6 - J208

ORDERING:

CORNER GUARDS: PART # / A x B x HEIGHT

U-CHANNELS: PART # / A x B x C x HEIGHT

OVERLAPPING OFFSET: 1/16"

MATERIAL: .050" Thick Aluminum, Brass, Bronze, Plain Steel, Stainless Steel

FASTENER: #6 x 5/8 FH SMS

FINISHES: Available in standard architectural finishes, prime painted steel







OPTIONS: • Cutouts for flush bolts, lock strikes, locks, and hinges (see worksheet on page 4a)

• 10° return available upon request




How to Specify Cut-Out Locations


This drawing shows typical location of cutouts for full length door edges on lock edge of doors. Use this page as a worksheet or photocopy and fill in your dimensions.

LH				
	#XXXX	#XXXX	#XXXX	#XXXX
RH				
	#XXXX	#XXXX	#XXXX	#XXXX




**Top of Typical
Metal Door**






**Top of Typical
Wood Door**



For Use on 1 3/4" Doors




**Wood Door Manual
Flush Bolt**






VERTICAL ROD PROTECTOR



#81

For use on
right hand
reverse doors



#83

For use on
left hand
reverse doors



#85

Rod Cover

NUMBER	DESCRIPTION	WIDTH	HEIGHT	PROJECTION	MATERIAL
81	Latch bolt cover	6 3/4"	10"	2 1/8"	Stainless steel
83	Latch bolt cover	6 3/4"	10"	2 1/8"	Stainless steel
85	Rod cover	3 1/8"	24"	1 1/8"	Stainless steel

SHELF PACK: 1

Box Pack

GAUGE: 18 (.050)

FASTENERS: #6 X 3/4"

FEATURES:

- Assist in handicap conformance
- Use in hospitals, schools, etc.
- Installs on any type of wood, metal or plastic door, any thickness.

Covers the latching bolt and lower portion of the vertical rod assembly.

FINISH: 630

RANGE SHIELDS



RS2430

NUMBER	DIMENSIONS
RS2430	24" x 30"

SHELF PACK: 4


Box Pack

GAUGE: 22 (.032)

FASTENERS: #6 x 5/8" SMS

FINISHES: White, Almond

DISPLAY PACKAGED KICK PLATES



Innovative packaging includes an outer corrugation that insures the inner package will remain fresh for display. Package allows for hanging or stacking.

- Furnished with grain or satin finish running horizontally to door
- Finishes: 605, 628, 630, Brass Tone (BT)
- Individually packaged with screws #6 x 5/8 SMS
- Full threaded to the head stainless steel sheet metal screws with plated finish

NUMBER	DIMENSIONS
KP-628	6" x 28"
KP-630	6" x 30"
KP-632	6" x 32"
KP-634	6" x 34"
KP-828	8" x 28"
KP-830	8" x 30"
KP-832	8" x 32"
KP-834	8" x 34"

SHELF PACK: 1

Display Packaged Size - 8 1/4" x 38 1/2"



info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



New York, New York

DOOR PULLS, PUSH & PULL PLATES

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section B, Version 1




INDEX

Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #
10.....	3b	71.....	1b	1874.....	11b	19147.....	5b
11.....	2b	72.....	1b	7010.....	7b	20147.....	5b
14.....	2b	73.....	1b	7011.....	7b	21147.....	5b
15.....	2b	76.....	1b	7014.....	7b	22147.....	5b
16.....	2b	77.....	1b	7015.....	7b	1156147.....	5b
17.....	2b	78.....	1b	7016.....	7b	1157147.....	5b
19.....	2b	79.....	1b	7017.....	7b	1158147.....	5b
20.....	2b	80.....	1b	7019.....	8b	1159147.....	5b
21.....	2b	120.....	12b	7020.....	8b	1160147.....	5b
22.....	2b	121.....	12b	7021.....	8b	1170147.....	6b
30.....	2b	147.....	5b	7030.....	8b	CFC70.....	10b
31.....	2b	160.....	6b	7031.....	8b	CFC71.....	10b
32.....	2b	161.....	6b	7032.....	8b	CFC7015.....	10b
35.....	3b	162.....	6b	7037.....	9b	CFC7115.....	10b
36.....	3b	163.....	6b	7038.....	9b	CFD70.....	10b
37.....	3b	1150.....	4b	7110.....	7b	CFD71.....	10b
38.....	3b	1151.....	4b	7111.....	7b	CFD7015.....	10b
42.....	3b	1152.....	4b	7114.....	7b	CFD7115.....	10b
44.....	3b	1156.....	4b	7115.....	7b	CFK70.....	10b
46.....	13b	1157.....	4b	7116.....	7b	CFK71.....	10b
54.....	12b	1158.....	4b	7117.....	7b	CFK7015.....	10b
56.....	12b	1159.....	4b	7119.....	8b	CFK7115.....	10b
57.....	12b	1160.....	4b	7120.....	8b	CFL70.....	10b
58.....	12b	1170.....	4b	7121.....	8b	CFL71.....	10b
59.....	12b	1846.....	10b	7130.....	8b	CFL7015.....	10b
62.....	11b	1848.....	10b	7131.....	8b	CFL7115.....	10b
64.....	11b	1850.....	10b	7132.....	8b	PL-13515.....	13b
66.....	11b	1858.....	10b	7137.....	9b	PS-13515.....	13b
69.....	1b	1860.....	10b	7138.....	9b		
70.....	1b	1866.....	11b	7816.....	9b		



.050 PUSH PLATES



NUMBER	DIMENSIONS	ANSI A156.6	MATERIAL
69	3" X 12"	J301	Aluminum, Brass, Bronze, Stainless Steel, Plastic
70	3 1/2" X 15"	J301	
71	4" X 16"	J301	
72	6" X 16"	J301	
73	8" X 16"	J301	

SHELF PACK: 10

Box Pack

FASTENERS: #6 x 5/8 OH SMS

FEATURE: Four beveled edges


FINISHES: 605, 606, 609, 612, 613, 619, 620, 626, 628, 629, 630

ORDERING: Specify plate number followed by size and finish –
specify additional options and/or features.

OPTIONS:

- Rounded corners - RC
- Custom sizes available
- Torx screws
- Scotch Mount, double face tape (no holes, no screws)
- Magnetic, no holes, no screws
- Engraving
- Hole cut outs available

.125 PUSH PLATES



NUMBER	DIMENSIONS	ANSI A156.6	MATERIAL
76	3" X 12"	J301	Stainless Steel
77	3 1/2" X 15"	J301	
78	4" X 16"	J301	
79	6" X 16"	J301	
80	8" X 16"	J301	

SHELF PACK: 10

Box Pack

FASTENERS: #6 x 5/8 OH SMS

FEATURE: Four beveled edges

FINISH: 630

ORDERING: Specify plate number followed by size and finish –
specify additional options and/or features.

OPTIONS:

- Rounded corners - RC
- Custom sizes available
- Torx screws
- Scotch Mount, double face tape (no holes, no screws)
- Magnetic, no holes, no screws
- Engraving
- Hole cut outs available

5/8" & 3/4" Round Door Pulls



NUMBER	CTC	DIAMETER	DIMENSIONS			ANSI A156.6	MATERIAL
			OVERALL	PROJECTION	CLEARANCE		
11	5 1/2"	5/8"	6 1/8"	2"	1 3/8"	J401	Aluminum, Brass, Bronze, Stainless Steel
14	5 1/2"	3/4"	6 1/4"	2 1/4"	1 1/2"	J401	
15	6"	3/4"	6 3/4"	2 1/4"	1 1/2"	J401	
16	8"	3/4"	8 3/4"	2 1/4"	1 1/2"	J401	
17	10"	3/4"	10 3/4"	2 1/4"	1 1/2"	J401	

SHELF PACK: I

Box Pack

FASTENERS: 1/4-20 Thru bolt & finish washer

FEATURE: Made from solid bar stock

FINISHES: 605, 606, 609, 612, 613, 628, 629, 630

OPTIONS:

- Back to back mounting for pulls 3/4" dia. only
- Back to back mounting not available on 5/8" dia. Pulls
- Concealed Mounting
- Specify door thickness if greater than 1 3/4"
- Use prefix "H" for 2 1/2" clearance
- See page 14b for other mounting options

1" Round Door Pulls



NUMBER	CTC	DIAMETER	DIMENSIONS			ANSI A156.6	MATERIAL
			OVERALL	PROJECTION	CLEARANCE		
19	8"	1"	9"	3"	2"	J401	Aluminum, Brass, Bronze, Stainless Steel
20	10"	1"	11"	3"	2"	J401	
21	12"	1"	13"	3"	2"	J401	
22	18"	1"	19"	3"	2"	J401	

SHELF PACK: I

Box Pack

FASTENERS: 1/4-20 Thru bolt & finish washer

FEATURE: Made from solid bar stock

FINISHES: 605, 606, 612, 613, 628, 629, 630

OPTIONS:

- Back to back mounting for pairs
- Concealed Mounting
- Specify door thickness if greater than 1 3/4"
- Use prefix "H" for 2 1/2" clearance
- See page 14b for other mounting options

Flat Bar Door Pulls



NUMBER	CTC	DIAMETER	DIMENSIONS			ANSI A156.6	MATERIAL
			OVERALL	PROJECTION	CLEARANCE		
30	6"	3/8" x 1 1/4"	6 3/8"	2"	1 5/8"	J401	Aluminum, Brass, Bronze, Stainless Steel
31	8"	3/8" x 1 1/4"	8 3/8"	2"	1 5/8"	J401	
32	10"	3/8" x 1 1/4"	10 3/8"	2"	1 5/8"	J401	

SHELF PACK: I

Box Pack

FASTENERS: 1/4-20 thru bolt & finish washer

FEATURE: Made from solid bar stock

FINISHES: 605, 613, 628, 630



HALF ROUND DOOR PULLS



NUMBER	CTC	DIAMETER	DIMENSIONS			ANSI A156.6	MATERIAL
			OVERALL	PROJECTION	CLEARANCE		
37	6"	1" Half Round	6 1/2"	2"	1 1/2"	J401	Aluminum, Brass, Stainless Steel
38	8"	1" Half Round	8 1/2"	2"	1 1/2"	J401	

SHELF PACK: I **Box Pack**
FASTENERS: 1/4-20 thru bolt & finish washer
FEATURE: Made from solid bar stock
FINISHES: 605, 613, 630

CAST DOOR PULLS



10



36



42

NUMBER	CTC	DIMENSIONS			ANSI A156.6	MATERIAL
		OVERALL	PROJECTION	CLEARANCE		
10	5 1/2"	6 1/2"	1 3/4"	1 5/16"	J401	Cast Aluminum, Brass, Bronze, Stainless Steel
36	5 1/2"	7 1/2"	1 7/8"	1 1/2"	J401	
42	5"	8 1/8"	2 1/2"	2 1/8"	J401	

SHELF PACK: I **Box Pack**
FASTENERS: 1/4-20 thru bolt & finish washer
FEATURE: Made from cast material
FINISHES: (10) 605, 612, 613, 628, 630
(36) 605, 613, 625, 626, 628, 630
(42) 630

SURFACE MOUNT CAST DOOR PULLS



35



44

NUMBER	CTC	DIMENSIONS			ANSI A156.6	MATERIALS
		OVERALL	PROJECTION	CLEARANCE		
35	5 1/2"	7 1/2"	1 7/8"	1 1/2"	J401	Cast Aluminum, Brass, Stainless Steel
44	6"	8 7/8"	3 1/4"	2 1/16"	J401	

SHELF PACK: I **Box Pack**
FASTENERS: (35) 6 ea. #10 x 1" SMS
(44) 4 ea. #10 x 1" SMS
FINISHES: (35) 605, 613, 625, 626, 628, 630
(44) 605, 630

"C" DOOR PULLS

NUMBER	CTC	DIMENSIONS					ANSI A156.6	MATERIAL
		DIAMETER	OVERALL	PROJECTION	CLEARANCE	OFFSET		
1170	12"	1"	13"	3"	2"	8"	J402	Stainless Steel



SHELF PACK: 1 **Box Pack**
FASTENERS: 3/8-24 x 2 1/2" MS
FINISH: 630
OPTIONS: • Back to back mounting
 • Concealed mounting
 • See page 14b for complete mounting selection
 • Specify door thickness if over 1 3/4" thick door

OFFSET DOOR PULLS

NUMBER	CTC	DIMENSIONS					ANSI A156.6	MATERIAL
		DIAMETER	OVERALL	PROJECTION	CLEARANCE	OFFSET		
1150	8"	3/4"	8 3/4"	2 1/2"	1 3/4"	90°	J402	Aluminum, Brass, Bronze, Stainless Steel
1151	10"	3/4"	10 3/4"	2 1/2"	1 3/4"	90°	J402	
1152	12"	3/4"	12 3/4"	2 1/2"	1 3/4"	90°	J402	
1156	8"	1"	9"	3 1/2"	2 1/2"	90°	J402	
1157	10"	1"	11"	3 1/2"	2 1/2"	90°	J402	
1158	12"	1"	13"	3 1/2"	2 1/2"	90°	J402	
1159	18"	1"	19"	3 1/2"	2 1/2"	90°	J402	
1160	9"	1"	10"	3 1/2"	2 1/2"	90°	J402	



SHELF PACK: 1 **Box Pack**
FASTENERS: (1150, 1151, 1152) 1/4-20 x 2 1/2" MS
 (1156, 1157, 1158, 1159, 1160) 3/8-24 x 2 1/2" MS
FINISHES: 605, 606, 613, 628, 629, 630
OPTIONS: • Back to back mounting
 • Concealed mounting
 • See page 14b for complete mounting selections
 • Specify door thickness if over 1 3/4" thick door

ADA Accessibility Guidelines for Buildings and Facilities (ADAAG) As amended through January 1998

4.13.9 Door Hardware. Handles, pulls, latches, locks, and other operating devices on accessible doors shall have a shape that is easy to grasp with one hand and does not require tight grasping, tight pinching, or twisting of the wrist to operate. Lever-operated mechanisms, push-type mechanisms, and U-shaped handles are acceptable designs. When sliding doors are fully open, operating hardware shall be exposed and usable from both sides. Hardware required for accessible door passage shall be mounted no higher than 48 in. (1220 mm) above finished floor.



PUSH/PULL BARS

PULL				PUSH				MATERIAL
NUMBER	CTC	PROJECTION	CLEARANCE	CTC	PROJECTION	CLEARANCE	ANSI A156.6	
147	Specify	3 1/2"	2 1/2"	—	Specify	1 1/2"	J501	Aluminum, Brass, Bronze Stainless Steel
19147	8"	3"	2"	Specify	2 1/2"	1 1/2"	J504	
20147	10"	3"	2"	Specify	2 1/2"	1 1/2"	J504	
21147	12"	3"	2"	Specify	2 1/2"	1 1/2"	J504	
22147	18"	3"	2"	Specify	2 1/2"	1 1/2"	J504	
1156147	8"	3 1/2"	2 1/2"	Specify	2 1/2"	1 1/2"	J504	
1157147	10"	3 1/2"	2 1/2"	Specify	2 1/2"	1 1/2"	J504	
1158147	12"	3 1/2"	2 1/2"	Specify	2 1/2"	1 1/2"	J504	
1159147	18"	3 1/2"	2 1/2"	Specify	2 1/2"	1 1/2"	J504	
1160147	9	3 1/2"	2 1/2"	Specify	2 1/2"	1 1/2"	J504	

SHELF PACK: 1

Box Pack

FASTENER: See page 14b for all details

FEATURE: Made from solid bar stock

FINISHES: 605, 606, 613, 628, 629, 630, 313

ORDERING: Specify door pull, push bar, CTC of push bar & finish & mounting method.




147




19147 thru
22147



1156147 thru
1159147




19148 thru 22148



1156148 thru 1159148



19149 thru 22149



1156149 thru 1159149



"C" PULL/PUSH BARS

PULL				PUSH			
NUMBER	CTC	PROJECTION	CLEARANCE	CTC	PROJECTION	CLEARANCE	MATERIAL
1170147	12"	3"	2"	Specify-	2 1/2"	1 1/2"	Stainless Steel



SHELF PACK: 1 **Box Pack**
FASTENER: See page 14b for all details
FEATURE: Made from solid bar stock
FINISHES: 630
ORDERING: Specify door pull, push bar, CTC of push bar & finish & mounting method.

LADDER PULLS



**Ladder
Pull Set**

NUMBER	CTC	DIMENSIONS				MATERIAL
		DIAMETER	OVERALL	PROJECTION	CLEARANCE	
160	36"	1 1/4"	48"	3 1/4"	2"	Stainless Steel
161	48"	1 1/4"	60"	3 1/4"	2"	Stainless Steel
162	60"	1 1/4"	72"	3 1/4"	2"	Stainless Steel
163	72"	1 1/4"	84"	3 1/4"	2"	Stainless Steel

SHELF PACK: 1 **Box Pack**
FASTENERS: 3/8-24 x 2 1/2" MS
FINISHES: 629, 630
OPTIONS:

- Back to back mounting
- Concealed mounting
- See page 14b for complete mounting selection



PULL PLATE w/CAST PULL

NUMBER	PLATE	CTC	OVERALL	PROJECTION	CLEARANCE	ANSI A156.6	MATERIAL
7010	3 1/2" x 15"	5 1/2"	6 1/2"	1 3/4"	1 5/16"	J405	Aluminum, Brass, Bronze, Stainless Steel
7110	4" x 16"	5 1/2"	6 1/2"	1 3/4"	1 5/16"	J405	



SHELF PACK: I **Box Pack**
FASTENER: 1/4-20 thru bolt, #6 x 5/8" OH SMS
FINISHES: 605, 612, 613, 628, 630
OPTION: Other size plates & custom sizes available

PULL PLATES w/3/4" ROUND PULLS

NUMBER	PLATE	CTC	DIAMETER	OVERALL	PROJECTION	CLEARANCE	ANSI A156.6	MATERIAL
7011	3 1/2" x 15"	5 1/2"	5/8"	6 1/8"	2"	1 3/8"	J405	Aluminum, Brass, Bronze, Stainless Steel
7014	3 1/2" x 15"	5 1/2"	3/4"	6 1/4"	2 1/4"	1 1/2"	J405	
7015	3 1/2" x 15"	6"	3/4"	6 3/4"	2 1/4"	1 1/2"	J405	
7016	3 1/2" x 15"	8"	3/4"	8 3/4"	2 1/4"	1 1/2"	J405	
7017	3 1/2" x 15"	10"	3/4"	10 3/4"	2 1/4"	1 1/2"	J405	
7111	4" x 16"	5 1/2"	5/8"	6 1/8"	2"	1 3/8"	J405	
7114	4" x 16"	5 1/2"	3/4"	6 1/4"	2 1/4"	1 1/2"	J405	
7115	4" x 16"	6"	3/4"	6 3/4"	2 1/4"	1 1/2"	J405	
7116	4" x 16"	8"	3/4"	8 3/4"	2 1/4"	1 1/2"	J405	
7117	4" x 16"	10"	3/4"	10 3/4"	2 1/4"	1 1/2"	J405	



SHELF PACK: I **Box Pack**
FASTENERS: 1/4-20 thru bolt, #6 x 5/8" OH SMS
FINISHES: 605, 606, 612, 613, 628, 629, 630
OPTIONS:

- Add prefix "H" for 2 1/2" clearance
- Other plate sizes available



PULL PLATES w/ 1" ROUND PULLS

NUMBER	PLATE	CTC	DIAMETER	OVERALL	PROJECTION	CLEARANCE	ANSI A156.6	MATERIAL
7019	3 1/2" x 15"	8"	1"	9"	3"	2"	J405	Aluminum, Brass, Bronze, Stainless Steel
7020	3 1/2" x 15"	10"	1"	11"	3"	2"	J405	
7021	3 1/2" x 15"	12"	1"	13"	3"	2"	J405	
7119	4" x 16"	8"	1"	9"	3"	2"	J405	
7120	4" x 16"	10"	1"	11"	3"	2"	J405	
7121	4" x 16"	12"	1"	13"	3"	2"	J405	



SHELF PACK: 1 **Box Pack**
FASTENERS: 1/4-20 thru bolt, #6 x 5/8" OH SMS
FINISHES: 605, 606, 612, 613, 628, 629, 630
OPTIONS:

- Add prefix "H" for 2 1/2" clearance
- Other plate sizes available

PULL PLATES w/ FLAT PULLS

NUMBER	PLATE	CTC	DIAMETER	OVERALL	PROJECTION	CLEARANCE	ANSI A156.6	MATERIAL
7030	3 1/2" x 15"	6"	3/8" x 1 1/4"	6 3/8"	2"	1 5/8"	J405	Aluminum, Brass, Bronze, Stainless Steel
7031	3 1/2" x 15"	8"	3/8" x 1 1/4"	8 3/8"	2"	1 5/8"	J405	
7032	3 1/2" x 15"	10"	3/8" x 1 1/4"	10 3/8"	2"	1 5/8"	J405	
7130	4" x 16"	6"	3/8" x 1 1/4"	6 3/8"	2"	1 5/8"	J405	
7131	4" x 16"	8"	3/8" x 1 1/4"	8 3/8"	2"	1 5/8"	J405	
7132	4" x 16"	10"	3/8" x 1 1/4"	10 3/8"	2"	1 5/8"	J405	



SHELF PACK: 1 **Box Pack**
FASTENERS: 1/4-20 thru bolt, #6 x 5/8" OH SMS
FINISHES: 605, 613, 628, 630
OPTION: Other plate sizes available



PULL PLATES w/ HALF ROUND PULLS



NUMBER	PLATE	CTC	DIAMETER	OVERALL	PROJ.	CLEARANCE	ANSI A156.6	MATERIAL
7037	3 1/2" x 15"	6"	1" Half Round	6 1/2"	2"	1 1/2"	J405	Aluminum, Brass, Bronze, Stainless Steel
7038	3 1/2" x 15"	8"	1" Half Round	8 1/2"	2"	1 1/2"	J405	
7137	4" x 16"	6"	1" Half Round	6 1/2"	2"	1 1/2"	J405	
7138	4" x 16"	8"	1" Half Round	8 1/2"	2"	1 1/2"	J405	

SHELF PACK: I **Box Pack**
FASTENERS: 1/4-20 thru bolt, #6 x 5/8" OH SMS
FINISHES: 605, 613, 630
OPTION: Other plate sizes available


1/8" THICK PULL PLATE w/ ROUND PULL



NUMBER	THICKNESS	DIMENSIONS	ANSI A156.6	MATERIAL
7816	.125	4" x 16"	J407	Stainless Steel

SHELF PACK: I **Box Pack**
FASTENERS: 1/4-20 thru bolt, #6 x 5/8" OH SMS
FINISH: 630
OPTION: Other plate sizes available

PUSH PLATES & PULL PLATES WITH HOLES



NUMBER	PULL	DIMENSIONS	MATERIAL
*70	-	3 1/2" x 15"	Aluminum, Brass, Bronze, Stainless Steel
*71	-	4" x 16"	
*7015	15	3 1/2" x 15"	
*7115	15	4" x 16"	

SHELF PACK: (70, 71) 10

Box Pack

(7015, 7115) 1

FASTENERS: 1/4-20 thru bolt for handles, #6 x 5/8" OH SMS

FEATURE: All holes are 2 1/2" on center from the end of the plate.

FINISHES: 605, 606, 612, 613, 628, 629, 630

OPTIONS:

- Hole location can be varied
- Other plate sizes & pulls can be specified

HOW TO ORDER:

Hole Size, Number, Finish e.g.: CFC70 - 605

HOLE SIZE: CFC 1 1/4" - CFD 1 1/2" - CFK 2 1/8" - CFL
2 1/8" with lever prep

FLUSH CUP PULLS




1848




1850



1858



1860



1846

NUMBER	DIMENSIONS	OPENING SIZE	DEPTH	ANSI A156.6	MATERIAL
1846	5" x 5"	3 1/2" x 3 1/2"	7/8"	J403	Stainless Steel
1848	3 1/2" x 4 3/4"	2" x 3 1/2"	3/4"	J403	
1850	3 1/2" x 4 3/4"	2" x 3 1/2"	3/4"	J403	
1858	4" x 10"	2" x 3 1/2"	3/4"	J403	
1860	4" x 16"	2" x 3 1/2"	3/4"	J403	

SHELF PACK: (1846) 1

Box Pack

(1848, 1850, 1858, 1860) 10

GAUGE: 16 (.062)

FASTENERS: (1846) 4 ea. #10-24 x 5/8" Pin in head Torx MS,
4 ea. one way x 5/8" sex nut
(1850, 1858) 4 ea. #8 x 3/4" SMS
(1860) 6 ea. #8 x 3/4" SMS

FEATURES: (1846) ADA Compliant

FINISH: 630

OPTIONS:

- Back to back Mounting for 1848 & 1850 only
- Torx screws



CYLINDER PULL



NUMBER	HOLE	DIMENSIONS	PROJECTION	ANSI A156.6	MATERIAL
1874	1 1/4"	2" x 3 3/4"	5/8"	J303	Stainless Steel

SHELF PACK: 10

Box Pack

GAUGE: 11 (.125)

FEATURE: Mounts underneath cylinders

FINISH: 630

PUSH/PULL PLATE



NUMBER	DIMENSIONS	PROJECTION	ANSI A156.6	MATERIAL
1866	3 1/2" x 15 3/4"	1 1/4"	J303	Stainless Steel

SHELF PACK: 10

Box Pack

GAUGE: 11 (.125)

FASTENERS: #8 x 3/4" SMS

FINISH: 630

OPTIONS: • Hole cut outs available
• Torx screws

WIRE PULLS



NUMBER	CTC	DIAMETER	OVERALL	PROJECTION	CLEARANCE	ANSI A156.6	MATERIAL
62	3"	5/16"	3 5/16"	1 11/32"	1 1/32"	B22011	Brass
64	3 1/2"	5/16"	3 13/16"	1 11/32"	1 1/32"	B22011	Brass
66	4"	5/16"	4 5/16"	1 11/32"	1 1/32"	B22011	Brass

SHELF PACK: 10

Polybagged

FASTENERS: 2 ea. #8-32 x 1 3/4" SMS, 2 ea. #8-32 x 1" SMS

FINISHES: 605, 625, 626



CABINET KNOB



54, 56



120, 121



57

NUMBER	SIZE	PROJECTION	ANSI A156.6	MATERIAL
54	1 1/4"	1 5/32"	B12131	Brass
56	1 1/2"	1 17/64"	B12131	Brass
57	1 1/2"	1/8"	-	Aluminum
120	1 1/2"	1/2"	-	Aluminum
121	1 3/4"	3/4"	-	Aluminum

SHELF PACK: 10


Polybagged

FASTENERS: (54, 56, 120, 121) #8-32 x 1 3/4" SMS, #8-32 x 1 1/4" SMS

FINISHES: 605, 613, 619, 620, 626

CABINET KNOB

58



NUMBER	KNOB	BACK PLATE	PROJECTION	MATERIAL
58	1 1/4"	-	1 9/32"	Cast Aluminum
59	-	1 3/4"	1/2"	Cast Aluminum

SHELF PACK: 10

Polybagged

FASTENERS: (58) #8-32 x 1 3/4" SMS

FINISHES: 605, 620, 625, 626



59



Foot Pull



NUMBER	DOOR THICKNESS	PROJECTION	MATERIAL
46	1 3/4"	4 1/2"	Stainless Steel

SHELF PACK: 1 Polybagged
FASTENERS: #6 x 5/8" OH SMS
FEATURES: To pull door open w/foot, mounts under the bottom of the door
FINISH: 630

Display Packaged Push & Pull Plates




PL-13515




PS-13515

NUMBER	PULL	DIMENSIONS
PL-13515	No. 11	3 1/2" x 15"
PS-13515	-	3 1/2" x 15"

SHELF PACK: 10 Display Packaged Size - 4 1/4" x 17 1/4"
FASTENERS: (PL-13515) #6 x 5/8" SMS, 1/4-20" x 2 1/4" thru-bolt
 (PS-13515) #6 x 5/8" SMS
FINISHES: 605, 613, 630




1 MOUNTING - THRU BOLT (WOOD OR METAL DOORS)




All pulls: 1/4-20 w/Finish Washer
Offset Pulls: 3/8-24 (Finish washer not supplied.)

4 MOUNTING - THRU BOLT (GLASS DOORS)




3/8-24 decorative thru bolt
w/newprene washers
5/8" Plexiglass bushing

2 MOUNTING - SURFACE CONCEALED (WOOD DOORS)




1/4" x 1" w/set screw

5 MOUNTING - BACK TO BACK (GLASS DOORS)




3/8-24 Bolt w/set screw
5/8" Plexiglass bushing
w/Neoprene washers

3 MOUNTING - BACK TO BACK (WOOD OR METAL DOORS)




All Pulls: 1/4-20 w/set screw

6 MOUNTING - SURFACE CONCEALED (METAL DOORS)




1/4-20 w/set screw

7 MOUNTING - CONCEALED (WOOD OR METAL DOORS)



Offset Pulls: 3/8-24
w/set screw



1/4-20 w/set screw
Concealed studs welded to
back of Push Plate
*Must mount studs to 1/8"
thick plates only! Thinner
gauge cannot be used!

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Minneapolis, Minnesota

DOOR STOPS, HOLDERS & BUMPERS

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section C, Version 1




INDEX

Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #
I400	1c	I448	3c	I471	3c	I503	8c
I401	1c	I449	3c	I472	3c	I504	7c
I402	1c	I449P	3c	I473	3c	I505	8c
I406	1c	I450	4c	I474	3c	I506	7c
I407	1c	I452	4c	I475	3c	I508	8c
I410	1c	I453	4c	I476	3c	I509	8c
I412	1c	I455	5c	I477	3c	I510	8c
I413	1c	I457	6c	I478	3c	I511	8c
I420	9c	I458	6c	I480	3c	I514	7c
I430	9c	I462	5c	I486	4c	I517	7c
I432	9c	I463	5c	I487	4c	I520	6c
I440	2c	I464	5c	I488	4c	I521	6c
I442	2c	I465	5c	I490	7c	I522	6c
I443	2c	I466	5c	I492	7c	I523	6c
I444	2c	I467	5c	I500	8c	I608	8c
I445	2c	I468	5c	I501	7c	I609	8c
I446	2c	I469	5c	I502	8c	I610	8c



WROUGHT WALL BUMPERS


I400

I402

I406

I407

NUMBER	TYPE	PROJ.	DIA.	ANSI A156.16	MATERIAL
I400	Convex	1/2"	1"	L02101	Brass
I402	Concave	1 1/8"	1 1/2"	-	Solid Brass
I406	Convex	1 1/8"	2 1/2"	L22101, L52101	Wrought
I407	Concave	1"	2 1/2"	L22251, L52251	Wrought

SHELF PACK: (I400, I406, I407) 50
(I402) 10

Polybagged

FASTENERS: (I400) 1 ea. #8 x 1" SMS, 1 ea. Brad Nail, 1 ea. Plastic Anchor
(I402) 1 ea. #10 x 1 1/4" SMS, 1 ea. Plastic Anchor & Plastic Drywall Anchor
(I406, I407) 1 ea. #8 x 1 1/4" SMS, 1 ea. Plastic Anchor & Plastic Drywall Anchor

FINISHES: (I400) 605, 606, 613, 625, 626
(I402) 626

(I406) 605, 606, 612, 613, 619, 620, 625, 626, 630

(I407) 605, 606, 612, 613, 619, 620, 625, 626, 630

CAST WALL BUMPERS


I412

I413

I410

NUMBER	TYPE	PROJ.	DIA.	ANSI A156.16	MATERIAL
I410	Convex	7/8"	3 7/8"	-	Cast Brass
I412	Convex	1"	2 1/2"	L12101	Cast Brass
I413	Concave	1"	2 1/2"	L12251	Cast Brass

SHELF PACK: 10

Polybagged

FASTENERS: (I412, I413) 1 ea. #10 x 1 1/4" SMS, 1 ea. Plastic Anchor & Plastic Drywall Anchor
(I410) 1 ea. 1/4-20 x 1 1/4" MS, 3 ea. #8-32 x 1/4" MS, 1 ea. Lead Expansion Shield

FINISHES: (I412, I413) 605, 606, 612, 613, 626
(I410) 626

OPTIONS: (I410) Torx screws available

RUBBER WALL BUMPERS


I401

NUMBER	TYPE	PROJ.	DIA.	MATERIAL
I401	Concave	9/16"	1 13/16"	Rubber

SHELF PACK: 10

Polybagged

FASTENER: Adhesive

FINISHES: White & Gray

Proj. = Projection, Dia. = Diameter

FLOOR STOPS



I440



I442

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
I440	1"	1/8" x 1 3/4"	L12141	Cast Brass
I442	1 1/4"	3/8" x 1 3/4"	L12161	Cast Brass

SHELF PACK: (I440, I442) 20 Polybagged
FASTENERS: (I440, I442) 1 ea. 1/4-20 x 1 1/4" MS, 1 ea. 1/4" x 1 1/4" SMS,
 1 ea. Plastic Anchor and 1 ea. Lead Expansion Shield
FINISHES: (I440, I442) 605, 606, 612, 613, 619, 620, 625, 626

RISERS



I446

NUMBER	HEIGHT	BASE	MATERIAL
I446	1/2"	1 3/4"	Cast Brass

SHELF PACK: 50 Polybagged
FINISHES: 605, 612, 613, 625, 626

FLOOR STOPS



I445

NUMBER	HEIGHT	BASE	MATERIAL
I445	1 1/2"	5/8" x 1 3/4"	Cast Brass

SHELF PACK: 20 Polybagged
FASTENERS: 1 ea. 1/4-20 x 1 1/4" MS, 1 ea. 1/4" x 1 1/4" SMS,
 1 ea. Plastic Anchor and 1 ea. Lead Expansion Shield
FEATURES: I445 is made by combining the I440 & I446
FINISHES: 605, 612, 613, 625, 626

FLOOR STOPS



I443



I444

NUMBER	HEIGHT	BASE	MATERIAL
I443	1"	1/8" x 4"	Cast Brass
I444	1 3/8"	1/2" x 4"	Cast Brass

SHELF PACK: (I443, I444) 10 Polybagged
FASTENERS: (I443, I444) 2 ea. 1/4-20 x 1 1/4" MS, 2 ea. 1/4" x 1 1/4" SMS,
 2 ea. Plastic Anchor and 2 ea. Lead Expansion Shield
FINISHES: (I443, I444) 605, 613, 626




DOOR STOPS



**I471 (shown),
I472**



**I473 (shown)
I474**



**I475 (shown),
I476**



**I477 (shown)
I478**

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
I471	3 1/8"	2 1/4"	L12131	Cast Brass
I472	3 1/8"	2 1/4"	L12121	Cast Brass
I473	3 7/8"	2 1/4"	L11371	Cast Brass
I474	3 7/8"	2 1/4"	L11361	Cast Brass
I475	3 7/8"	2 1/4"	L12021	Cast Brass
I476	3 7/8"	2 1/4"	L12011	Cast Brass
I477	3 1/2"	2 1/4"	L11351	Cast Brass
I478	3 1/2"	2 1/4"	L11341	Cast Brass

SHELF PACK: 10

Polybagged

FASTENERS: (I471, I475) 1 ea. 5/16-18 x 2 5/8" MS Stud, 1 ea. 1/16-18 x 2 5/8" SMS Stud, 1 ea. #10 x 1" SMS, 1 ea. Plastic Anchor, 1 ea. Lead Expansion Shield
(I472, I476) 3 ea. #10 x 1" SMS, 3 ea. Plastic Anchors
(I473, I477) 1 ea. 5/16-18 x 2 5/8" MS Stud, 1 ea. 5/16-18 x 2 5/8" SMS Stud, 3 ea. #10 x 1" SMS, 3 ea. Plastic Anchors, 1 ea. Lead Expansion Shield
(I474, I478) 5 ea. #10 x 1" SMS, 3 ea. Plastic Anchors
FEATURES: (I471, I473, I475, I477) concealed mounting
(I472, I474, I476, I478) surface mounting
FINISHES: (I471, I477) 605, 613, 626
(I472, I474, I476, I478) 626
(I473, I475) 605, 613, 626

ANGLE STOP



I480

NUMBER	BASE	RUBBER	
		HEIGHT	WIDTH
I480	2 1/2" x 1"	2 5/8"	1 1/2"

SHELF PACK: 10

Polybagged

FASTENERS: 2 ea. 1/4" x 1 1/2" SMS, 2 ea. Plastic Anchors
FINISHES: 626

DOOR STOPS



I448



I449



I449P

NUMBER	HEIGHT	BASE	MATERIAL
I448	1 5/8"	2 1/4" x 1 5/8"	Cast Brass
I449	2 1/2"	2 1/4" x 1 5/8"	Cast Brass
I449P	3 3/4"	2 11/16" dia.	Cast Aluminum

SHELF PACK: 10

Polybagged

FASTENERS: (I448, I449) 3 ea. 8/32 x 1" MS, 3 ea. #8 x 1 1/4" SMS, 3 ea. Plastic Anchors, 3 ea. Lead Expansion Shields
FINISHES: (I448, I449) 605, 613, 626
(I449P) 628

DOOR STOPS



I450



I452



I453

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
I450	2 1/8"	2 5/8" x 1 5/8"	L12131	Cast Brass
I452	2 3/4"	2 1/2" x 1 1/2"	L12131	Cast Brass
I453	3"	2 1/2" x 1 1/2"	L13171	Cast Brass

SHELF PACK: 10

Polybagged

FASTENERS: (I450, I452) 1 ea. 5/16-18 x 2 5/8" MS Stud, 1 ea. 5/16-18 x 2 5/8" SMS Stud, 1 ea. #10 x 1" SMS, 1 ea. Plastic Anchor, 1 ea. Lead Expansion Shield

(I453) 1 ea. 5/16-18 x 2 5/8" MS Stud, 1 ea. 5/16-18 x 2 5/8" SMS Stud, 2 ea. #8 x 1" SMS, 1 ea. 14-20 x 1 1/4" MS, 1 ea. 1/4 x 1 1/2" SMS, 3 ea. Plastic Anchors, 1 ea. Lead Expansion Shields

FINISHES: (I450, I452) 605, 613, 619, 620, 626

(I453) 605, 613, 626

ROLLER BUMPERS



I486



I487



I488

NUMBER	BASE	PROJECTION	ANSI A156.16	MATERIAL
I486	2" dia.	4 1/2"	L12191	Cast Brass
I487	2" dia.	6"	L12201	Cast Brass
I488	1 5/8" x 2 1/4"	2 3/4"	L12211	Cast Brass


SHELF PACK: 10

Polybagged


FASTENERS: 3 ea. #10 x 1" SMS, 3 ea. Plastic Anchors

FINISHES: 605, 613, 626

I488



I486 & I487





DETENTION STOP



I462



I463

NUMBER	HEIGHT	BASE	MOUNTING BOLT
I462	4 1/2"	1 1/2 x 2"	1/2" x 3"
I463	6"	3 1/2 x 2"	1/2" x 2 1/2"

SHELF PACK: (I462) 20, (I463) 10
FINISH: Black

Polybagged

DOOR HOLDERS



I455



I464



I465



I466



I467



I468



I469

NUMBER	PROJECTION	ANSI A156.16	MATERIAL
I455	4"	L11382	Cast Aluminum
I464	4"	L11382	Solid Brass
I465	4"	L11382	Solid Brass
I466	4"	—	Cast Iron
I467	5"	L11382	Solid Brass
I468	-	—	Rubber
I469	-	—	Rubber

SHELF PACK: 10 Polybagged

FASTENERS: (I455) 3 ea. #8 x 1" SMS
(I464, I465, I466, I467) 4 ea. #8 x 1" SMS
(I469) 1 ea. #8-32 x 7/8" MS

FINISHES: (I455) 626, BP (Brass Plated), BZ (Bronze Sprayed), CP (Chrome Plated), DU (Duro Coated)
(I465) 605, 613, 625, 626
(I466) Sprayed Brass, Sprayed Bronze, Sprayed Aluminum, Sprayed Durocoat
(I464) (I467) 605, 613, 626
(I468) Gray Rubber
(I469) Gray Rubber

PLUNGER STOP



1457



1458

NUMBER	PROJECTION	BASE	ANSI A156.16	MATERIAL
1457	1 1/4"	6 3/16" x 1 7/16"	L11401	Cast Aluminum
1458	1 7/8"	1 3/8" x 5 3/8"	L01411	Brass

SHELF PACK: 10 Polybagged

FASTENERS: (1457) 2 ea. #8 x 1" SMS

(1458) 3 ea. #10 x 3/4" OHSMS

FINISH: (1457) 628

(1458) 626

DOOR HOLDER




NUMBER	DOOR TO FLOOR CLEARANCE	HOLDER DIMENSIONS	ANSI A156.16	MATERIAL
1520	1/2" or less	3" W x 3 1/2" H	L11301	Cast Brass
1521	9/16" – 1 1/16"	3" W x 3 1/2" H	L11301	Cast Brass
1522	1 1/8" – 1 9/16"	3" W x 3 1/2" H	L11301	Cast Brass
1523	1 5/8" – 2 1/16"	3" W x 3 1/2" H	L11301	Cast Brass


SHELF PACK: 1 Box Pack

FASTENERS: 3 ea. 1/4-20 x 3/4" MS, 3 ea. 1/4 x 1 1/4" SMS, 4 ea. #12-24 x 1" MS,
4 ea. #12 x 1" SMS, 3 ea. Lead Expansion Shields


FINISH: 626




1520



1521



1522



1523

DOOR HOLDER


1517

NUMBER	HEIGHT	BASE DIMENSIONS	ANSI A156.16	MATERIAL
1517	3 1/2"	2" x 3 1/2"	L11241	Brass

SHELF PACK: 1

Polybagged

FASTENERS: 2 ea. Plastic Anchors, 1 ea. 1/2-13" x 3 1/4" Stud, 1 ea. Lead Anchor,
2 ea. 1/4 x 1 1/2" FHMS, 1 ea. 1/4-20 x 1 1/4" FHMS, 1 ea. Lead Anchor

FINISH: 626

DOOR HOLDER


1514

NUMBER	PROJECTION	HOLDER DIMENSIONS	ANSI A156.16	MATERIAL
1514	3 1/2"	2 1/2" H x 2 1/4" W	L11291	Cast Brass

SHELF PACK: 10

Polybagged

FASTENERS: 2 ea. #10-24 x 1 1/4" MS, 5 ea. #10 x 1" SMS, 3 ea. Plastic Anchors

FINISH: 626

DOOR STOPS


1490

1492

NUMBER	HEIGHT	LENGTH	MATERIAL
1490	3"	3 3/4"	Cast Brass
1492	3"	3 3/4"	Cast Brass

SHELF PACK: 10

Polybagged

FASTENERS: (1490) 3 ea. 1/4-20 x 3/4" MS, 3 ea. 1/4 x 1 1/2" SMS, 3 ea. Plastic Anchors, 3 ea. Lead Expansion Shield
(1492) 1 ea. 5/16-18 x 2 5/8" SMS Stud, 1 ea. 1/4 x 1 1/2" SMS,
1 ea. Plastic Anchor, 1 ea. Lead Expansion Shield

FINISHES: 626

RIGID BASE STOPS


1501

1504

1506

NUMBER	BASE	PROJECTION	ANSI A156.16	MATERIAL
1501	3/4"	3"	L32031	Cast Zinc
1504	1"	3"	L32031	Cast Aluminum
1506	1"	3 1/4"	L12031	Cast Brass

SHELF PACK: (1501) 50

Polybagged

(1504, 1506) 10

FASTENERS: #10 SMS

FINISHES: (1501) 605, 609, 625

(1504, 1506) 605, 609, 613, 619, 620, 622, 625, 626

SPRING BASE STOPS



I508



**I509
I510
I511**

NUMBER	BASE	PROJECTION	MATERIAL
I508	3/4"	3"	Spring Steel
I509	1"	3 1/8"	Spring Steel
I510	1"	3 3/4"	Spring Steel
I511	1"	3 1/8"	Spring Steel

SHELF PACK: 50
FASTENERS: (I508) #8 SMS
 (I509, I510) #8 x 1" SMS
 (I511) #8 x 1 1/4" SMS
FINISHES: 605, 609, 613, 619, 620, 625, 626

HINGE STOP



I500



I502



I503



I505

NUMBER	DOOR OPEN ADJ.	MATERIAL
I500	70° - 100°	Cast Zinc
I502	70° - 100°	Steel
I503	70° - 100°	Cast Brass
I505	70° - 100°	Cast Zinc

SHELF PACK: (I500) 100, (I502, I503, I505) 20
FINISHES: (I500) 605, 619, 620, 625
 (I502) 605, 613, 619, 620, 626
 (I503) 605, 609, 619, 620, 625
 (I505) 605, 609, 613, 619, 620, 622, 626
FEATURES: Works w/ 1/4" hinge pins only!

DOOR SILENCERS



I608

For metal frame



I609

For wood frame



I610

Adhesive mounting

NUMBER	ANSI A156.16
I608	L03011
I609	L03021
I610	—

SHELF PACK: 100
FINISHES: Gray Rubber
 (I610 also available in clear)



DOOR STOPS



I430



I432

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
I430	1 5/16"	1 1/4"	—	Cast Brass
I432	1 5/16"	1 1/4"	L32181	Cast Aluminum

SHELF PACK: 10 Polybagged
FASTENERS: (I430) #8 x 1 SMS
 (I432) 2 ea. #8 x 3/4" SMS
FINISHES: 605, 613, 619, 620, 626

APPLIED STOP



I420

NUMBER	WIDTH	HEIGHT	LENGTH
I420	1 1/2"	3/4"	3 1/2"

SHELF PACK: 10 Polybagged
FASTENERS: 2 ea. #12 x 1 1/2" FHWS and
 2 ea. 12-24 x 3/4" FHWS

FEATURES:

- For use with single or double doors without stops
- Supplied with machine & wood screws

FINISHES: 605, 613, 626

www.don-jo.com

-  CATALOG
-  ORDERING
-  NEW PRODUCTS
-  REPRESENTATIVES
-  CONTACT US
-  ABOUT DON-JO
-  WARRANTY



Architectural
Hardware & Accessories

[Click Here To Download Our 2008 Suggested List Price List](#)



Copyright © 2008, Don-Jo Mfg., Inc.

Check out our website at www.don-jo.com
to take advantage of these great conveniences:

- ▶ On-line Ordering
- ▶ Checking Status of Open Orders
- ▶ Templates
- ▶ Plus Many Other Features

Please contact DON-JO for a username and password
to access all of these features on the DON-JO website.

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Los Angeles, California

FILLER PLATES, MOUNTING TABS & SIGNS

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section H, Version 1



INDEX

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
534-MWA	7h	DCB-280	5h	HF-45	1h	HS-9070-03	10h
834-ADJ	7h	DCB-340	5h	HR-100	4h	HS-9070-04	10h
AF-29	3h	DCB-350	5h	HR-110	4h	HS-9070-05	10h
AF-29L	3h	DD-1	9h	HR-120	4h	HS-9070-06	10h
AF-260	3h	DD-2	9h	HR-130	4h	HS-9070-07	10h
AF-261	3h	DD-3	9h	HR-150	4h	HS-9070-08	10h
AF-291	3h	DD-4	9h	HR-160	4h	HS-9070-22	10h
AF-291L	3h	DD-5	9h	HR-170	4h	HS-9070-24	10h
AR-335	2h	DD-6	9h	HR-180	4h	HS-9070-27	10h
AR-9K	2h	DD-7	9h	HR-190	4h	HS-9070-32	10h
BF-135	2h	DD-8	9h	HR-200-4	4h	HS-9070-35	10h
BF-161	2h	EF-86	1h	HR-210-5	4h	HS-9070-46	9h
BF-178	2h	EF-160	1h	HR-215-4	4h	HS-9070-47	9h
BTS-160	1h	EF-161	1h	HR-216-5	4h	HS-9070-48	9h
CHS-1	9h	EF-161-S	1h	HR-217	4h	HS-9080-32	10h
CHS-2	9h	EF-161-TG	1h	HR-218	4h	HS-9090-01	10h
CHS-3	9h	EF-634	1h	HS-050	1h	HS-9090-05	10h
CHS-4	9h	EL-86	2h	HS-060	1h	HS-9090-32	10h
CHS-5	9h	EPT-1	1h	HS-080	1h	LW-86	1h
CHS-6	9h	FB-225	1h	HS-090	1h	PDF-161	2h
CHS-7	9h	FBG-1-D	6h	HS-9050-01	10h	PSA	6h
CHS-8	9h	FBG-1-SQ	6h	HS-9050-05	10h	SA-615	5h
CP-258	2h	FBT-1	6h	HS-9050-32	10h	SA-618	5h
CR-060	8h	FBRK-2	3h	HS-9060-01	10h	SFF-50	1h
CR-125	8h	FBRK-3	3h	HS-9060-02	10h	SHF-45	1h
CR-275	8h	FBR-A	1h	HS-9060-03	10h	SPB-30	7h
CR-300	8h	FBR-B	1h	HS-9060-04	10h	SPB-60	7h
CSPB-30	7h	FBR-C	1h	HS-9060-05	10h	SPB-80	7h
CSPB-50	7h	FF-45	1h	HS-9060-22	10h	ST-386	2h
CSPB-80	7h	FF-50	1h	HS-9060-24	10h	TB-215	6h
CV-86	2h	FPK-86	3h	HS-9060-32	10h	TL-1	8h
CV-2414	2h	FPK-161	3h	HS-9060-35	10h	TL-2	8h
CV-8624	2h	FS-260	1h	HS-9060-36	10h	TL-3	8h
CVRL	2h	GS-10-G	6h	HS-9060-37	10h		
DBS-386	2h	GS-10-PC	6h	HS-9070-01	10h		
DCB-270	5h	HD-1	9h	HS-9070-02	10h		


FASTENERS

Product	Fastening Type
AF-260 & AF-261, AF-29 & AF-291, AF-29L & AF-291L	2 ea. 12-24 x 3/4" Flat Head Combo Screw
BTS-160, FB-225, EF-160, EF-161, EF-161-TG, EF-161-S, EF-634	2 ea. #8-32 x 1/2" FHMS
FF-45 & FF-50, FS-260, DBS-386, ST-386, CV-86, CV-8624, EF-86, LW-86, EL-86, SFF-50, HF-45, SHF-45	2 ea. #12-24 x 1/2" FHMS
EPT-1	2 ea. #10-24 x 1/2" FHMS
CV-2414, CVRL	2 ea. #10 x 1 1/2" FHSMS
BF-161, BF-178, BF-135, PDF-161	1 ea. #10-32 x 1 1/2" FHMS
TL-1, TL-3	2 ea. #12-24 x 1/2" FHSMS, 2 ea. #8-32 x 1/2" FHMS
TL-2	4 ea. #12-24 x 1/2" FHMS

FILLER PLATES



BTS-160-PC
T-strike with I60
cut out



FF-45
FF-50
Frame hinge
cut out



FS-260-PC
ANSI strike
cut out



EPT-I
Fill holes left
by electric
power transfer



HS-060
16 (.060) Gauge
Hinge shim




HS-050
16 (.060) Gauge
Hinge shim



FBR-A



FBR-B



FBR-C

HS-090
13 (.090) Gauge
Hinge shim

HS-080
13 (.090) Gauge
Hinge shim

NUMBER	DIMENSIONS	MATERIAL
BTS-160	2 3/4" x 1 3/8"	Steel
EPT-I	9" x 1 1/4"	
FBR-A	3 7/8" x 1"	
FBR-B	5 7/8" x 1 1/4"	
FBR-C	3 7/8" x 1"	
FF-45	4 1/2" x 1 5/8"	
FF-50	5" x 1 5/8"	
FS-260	4 7/8" x 1 1/4"	
HS-050	4 1/2" x 1/2"	
HS-060	4 1/2" x 1 5/8"	
HS-080	4 1/2" x 1/2"	
HS-090	4 1/2" x 1 5/8"	

SHELF PACK: 10
FINISH: PC (Prime Coated)

Polybagged

FILLER PLATES



EF-86
LW-86
86 cut out




EF-160
160 cut out
EF-161
161 cut out



EF-634
Flush bolt
cut out



FB-225
Flush bolt
strike filler



HF-45
SHF-45
SHF-50

Door hinge
cut out

NUMBER	DIMENSIONS	MATERIAL
EF-86	8" x 1 1/4" x 3/16"	Steel
EF-160	2 1/4" x 1"	
EF-161	2 1/4" x 1 1/8"	
EF-161-S	2 3/4" x 1 1/8"	
EF-161-TG	2 1/4" x 1 1/8"	
EF-634	6 3/4" x 1"	
FB-225	2 1/4" x 1 15/16"	
HF-45	4 1/2" x 1 3/4"	
LW-86	8" x 1 1/4" x 1/4"	
SHF-45	4 1/2" x 1 1/2"	
SHF-50	5" x 1 1/2"	

SHELF PACK: 10

Polybagged

FINISHES: (EF-86, EF-634, LW-86, FB-225, HF-45, SHF-45, EF-161-S, EF-161-TG, SHF-50) **PC (Prime Coated)** (EF-160, EF-161) **BP (Brass Plated)**, **CP (Chrome Plated)**, **PC (Prime Coated)**,



CONVERSION PLATES




CV-86
Converts 86
cut out to 161



CV-2414
Converts Sargent's
Integra locks



CV-8624
Converts 86
cut out to (2) 161



CVRL
Converts 3 3/8" x 1"
roller latch to a
standard latch prep



DBS-386
Deadbolt strike
for 86 cut out
Use with pair of
doors



EL-86
Converts mortise
to electronic
lock



ST-386-PC
Use with pair of
86 cut out doors
Apply ANSI strike
over Reversible


NUMBER	DIMENSIONS	MATERIAL
CV-86	8" x 1 1/4"	Steel
CV-2414	4 1/4" x 1 1/4"	Steel
CV-8624	8" x 1 1/4"	Steel
CVRL	3 3/8" x 1"	Steel
DBS-386	8" x 1 1/4"	Aluminum
EL-86	8" x 1 1/4"	Steel
ST-386-PC	8" x 1 1/4"	Aluminum

SHELF PACK: IO


Polybagged

FINISHES: (CV-86, CVRL, CV-8624, DBS-386, EL-86
ST-386) **PC (Prime Coated)**
(CV-2414) **SL (Silver Coated)**


HOLE FILLER PLATES




AR-335
Allows for use of levers
on 1 3/8" door




BF-135
Covers up to 3 3/4" hole



BF-161
Covers up to 2 1/8" hole




AR-9K
Allows for use of levers
on 1 3/8" door



BF-178
Covers up to 1 1/2" hole



PDF-161
Covers up to 2 1/8" hole
under rim panic device



CP-258
2 5/8" cylinder plate -
indents at 3 & 9 o'clock
prevents collar from
shifting on wood or metal

NUMBER	DIMENSIONS	MATERIAL
AR-335	3 1/2" Diameter	Aluminum
AR-9K	3 1/2" Diameter	Aluminum
BF-135	3 3/4" Diameter	Steel
BF-161	2 5/8" Diameter	
BF-178	1 7/8" Diameter	
CP-258	2 5/8" Diameter	
PDF-161	2 1/8" Hole	

SHELF PACK: IO

Polybagged

FEATURES: •(CP-258): Can be used with Rim or Mortise
Cylinders


•(AR-335): Use with Schlage, Yale, Arrow,
Corbin-Russwin, Cal-Royal, Hager

•(AR-9K): Use with Sargent, Best, Marks
(AR-335, AR-9K) 605, 613, 630
(BF-135, BF-161, BF-178, CP-258)

FINISHES: **BP (Brass Plated), CP (Chrome Plated),
PC (Prime Coated), SL (Silver Coated),
(PDF-161) PC (Prime Coated)**




ELECTRIC STRIKE FILLER plates for selected Folger Adams, Von Duprin, and Rofu numbers



NUMBER	DIMENSIONS	MATERIAL
AF-29	9" x 1 3/8"	Steel
AF-29L	9" x 1 3/8"	
AF-260	4 7/8" x 1 1/4"	
AF-261	4 7/8" x 1 1/4"	
AF-291	9" x 1 3/8"	
AF-291L	9" x 1 3/8"	

SHELF PACK: 10 Polybagged
GAUGE: 13 (.095) Steel
FEATURES: • Electric Strike Filler
 • Fits selected Folger Adams,
 Von Duprin, and Rofu numbers
FINISHES: DU (Duro Coated), SL (Silver Coated)

FILLER PLATE KITS



NUMBER	CONTENTS	MATERIAL
FBRK-2	Strike/Reinforcement	Steel
FBRK-3	Blank/Reinforcement	
FPK-86	EF-86/FS-260	
FPK-161	BF-161/EF-161 FS-260	

SHELF PACK: 10 Polybagged
FINISHES: PC (Prime Coated)




HINGE REINFORCEMENTS


NUMBER	DESCRIPTION	USED WITH	SIZE	OFFSET	HINGE WEIGHT	GAUGE	MATERIAL
HR-100	3 1/2" Hinge Reinforcement	Door/Frame	1 1/16" x 8 1/2"	1/16"	.120	10	Steel
HR-110	4" Hinge Reinforcement	Door/Frame	1 1/4" x 10"	3/32"	.124	7	
HR-120	4 1/2" Hinge Reinforcement	Door/Frame	1 1/4" x 10"	3/32"	.134	7	
HR-130	4 1/2" Hinge Reinforcement	Frames	1 1/2" x 10"	3/32"	.134	7	
HR-140	4 1/2" Hinge Reinforcement	Door/Frame	1 1/4" x 10"	1/8"	.190	7	
HR-150	4 1/2" Hinge Reinforcement	Frames	1 1/2" x 10"	1/8"	.190	7	
HR-160	5" Hinge Reinforcement	Door/Frame	1 1/4" x 10"	3/32"	.146	7	
HR-170	5" Hinge Reinforcement	Frames	1 1/2" x 10"	3/32"	.146	7	
HR-180	5" Hinge Reinforcement	Door/Frame	1 1/4" x 10"	1/8"	.190	7	
HR-190	5" Hinge Reinforcement	Frames	1 1/2" x 10"	1/8"	.190	7	
HR-200-4 1/2	4 1/2" Blank Hinge Reinforcement	Door/Frame	1 1/4" x 10"	3/32"	—	7	
HR-210-5	5" Blank Hinge Reinforcement	Door/Frame	1 1/4" x 10"	3/32"	—	7	
HR-215-4 1/2	4 1/2" Flat Hinge Reinforcement	Doors	1 1/4" x 10"	—	—	7	
HR-216-5	5" Flat Hinge Reinforcement	Doors	1 1/4" x 10"	—	—	7	
HR-217	6" Hinge Reinforcement	Door/Frame	1 1/4" x 12"	7/64"	.160	7	
HR-218	6" Hinge Reinforcement	Door/Frame	1 1/4" x 12"	9/64"	.203	7	

SHELF PACK: 50
FINISH: Raw Steel


Box Pack




HR-100




**HR-110
HR-120
HR-130
HR-140
HR-150
HR-160
HR-170
HR-180
HR-190**



**HR-200-4 1/2
HR-210-5**





**HR-215-4 1/2
HR-216-5**



**HR-217
HR-218**

HINGE REINFORCEMENTS





NUMBER	DESCRIPTION	DEPTH	GAUGE	MATERIAL
DCB-270	Dust Cover Box/Frame Hinge	3/4"	25	Steel
DCB-280	Dust Cover Box/Frame Hinge	5/16"	25	

SHELF PACK: 50
FINISH: Raw Steel

Box Pack

STRIKE REINFORCEMENTS





NUMBER	DESCRIPTION	MATERIAL
DCB-340	4 7/8" Strike w/Dust Cover	Steel
DCB-350	2 3/4" Strike w/Dust Cover	

SHELF PACK: 50
FINISH: Raw Steel

Box Pack

STRAP ANCHORS




NUMBER	DESCRIPTION	SIZE	GAUGE	MATERIAL
SA-615	Strap Anchor	1" x 4 1/2" x 1 1/4" W	16	Steel
SA-618	Strap Anchor	1" x 5" x 1" W	18	

SHELF PACK: 50
FINISH: Raw Steel


Box Pack




TABS & GUIDES




TB-215



FBT-I



FBG-I-D




FBG-I-SQ

NUMBER	DIMENSIONS		OFFSET	MATERIAL
	LENGTH	WIDTH		
TB-215	1"	1 1/2"	1/8"	Steel
FBT-I	2 1/2"	7/8"	1/8"	
FBG-I-D	2 1/2"	7/8"	5/16"	
FBG-I-SQ	3 1/4"	1 3/4"	5/16"	

SHELF PACK: 50
FINISH: Raw Steel

Box Pack

GLAZING BEAD




GS-10-G
GS-10-PC

NUMBER	SIZE	GAUGE	MATERIAL
GS-10-G	5/8" x 5/8" x 5/8"	18	Galvanized
GS-10-PC	5/8" x 5/8" x 5/8"	16	Steel

SHELF PACK: 50

PIPE SLEEVE ANCHORS




NUMBER	SIZES	GAUGE	MATERIAL
PSA	4 3/4", 5 3/4", 6 3/4", 7 3/4", 8 1/4", 8 3/4"	11	Steel

SHELF PACK: 50

Box Pack

HOW TO ORDER:
Part # x Size, i.e.: PSA-5 3/4


SPREADER BARS



**SPB-30
SPB-60
SPB-80**


NUMBER	SIZE	LENGTH	GAUGE	MATERIAL
SPB-30	3/4" x 3/4"	36"	16	Steel
SPB-60	3/4" x 3/4"	72"	16	
SPB-80	3/4" x 3/4"	96"	16	
CSPB-30	3/4" x 3/4" x 3/4"	36"	16	
CSPB-50	3/4" x 3/4" x 3/4"	60"	16	
CSPB-80	3/4" x 3/4" x 3/4"	96"	16	

SHELF PACK: 50
FINISH: Raw Steel



**CSPB-30
CSPB-50
CSPB-80**

METAL-WOOD STUD COMBO ANCHOR



**534-MWA
834-ADJ**

NUMBER	DESCRIPTION	MATERIAL
534-MWA	5 3/4"	Steel
834-ADJ	Adjust 5 3/4" to 8 3/4"	


SHELF PACK: 50
FINISH: Raw Steel

Box Pack





DON-JO MFG., INC.


REINFORCEMENT PLATES



CR-275
Closer
Reinforcement



CR-300
For use with
Parallel arm
closers



NUMBER	DIMENSIONS	GAUGE	MATERIAL
CR-060	12" x 1 3/4"	16	Steel
CR-125	12" x 1 3/4"	10	
CR-275	14" x 4 1/8"	12	
CR-300	14" x 4 1/8"	12	

SHELF PACK: 10

FINISH: Raw Steel




CR-060
16 (.060) Gauge
Closer Reinforcement




CR-125
10 (.125) Gauge
Closer Reinforcement


TEMPORARY LOCKS



TL-1



TL-2



TL-3

NUMBER	DIMENSIONS		MATERIAL
	STRIKE	LATCH	
TL-1	4 7/8" x 1 1/4"	2 1/4" x 1 1/8"	Steel
TL-2	4 7/8" x 1 1/4"	8" x 1 1/4"	
TL-3	4 7/8" x 1 1/4"	2 1/4" x 1 1/8"	

SHELF PACK: 10

Polybagged

FEATURES:

- (TL-1) Fits 2 1/4" latch preps and fits 4 7/8" strike prep
- (TL-2) Fits 86 edge preps and fits 4 7/8" strike prep
- (TL-3) Works with in swing doors

FINISH: Prime Coated



TITLE 24 SIGNS



**CHS-1
CHS-6**



**CHS-2
CHS-7**



**CHS-3
CHS-8**



CHS-4



CHS-5



HS-9070-46



HS-9070-47



HS-9070-48

Sign Size 1 3/4" x 6"

NUMBER	DESCRIPTION	COLOR
CHS-1	Men	Blue
CHS-2	Women	Blue
CHS-3	Restroom	Blue
CHS-4	Boys	Blue
CHS-5	Girls	Blue
CHS-6	Men	Black
CHS-7	Women	Black
CHS-8	Restroom	Black
HS-9070-46	Men	Blue
HS-9070-47	Women	Blue
HS-9070-48	Restroom	Blue

SHELF PACK: 10

Polybagged

FEATURES:

- Raised white lettering
- Braille translation on sign

DECALS



HD-1

NUMBER	DECAL COLOR	DIMENSIONS
DD-1/DD-5	Black on Clear	1 1/2" x 24"
DD-2/DD-6	White on Black	1 1/2" x 24"
DD-3/DD-7	Black on Clear	1 1/2" x 24"
DD-4/DD-8	White on Black	1 1/2" x 24"
HD-1	White on Blue	4" x 4"

Polybagged

DD-1/DD-2

THIS DOOR TO REMAIN UNLOCKED DURING BUSINESS HOURS

DD-3/DD-4

THESE DOORS TO REMAIN UNLOCKED DURING BUSINESS HOURS

DD-5/DD-6

THIS DOOR TO REMAIN UNLOCKED WHILE BUILDING IS OCCUPIED

DD-7/DD-8

THESE DOORS TO REMAIN UNLOCKED WHILE BUILDING IS OCCUPIED



A.D.A. SIGNS



HS-9050-01
HS-9060-01
HS-9070-01
HS-9090-01



HS-9060-02
HS-9070-02



HS-9060-03
HS-9070-03



HS-9070-07



HS-9060-04
HS-9070-04



HS-9050-05
HS-9060-05
HS-9070-05
HS-9090-05



HS-9060-22
HS-9070-22



HS-9070-08



HS-9060-24
HS-9070-24



HS-9070-27



HS-9050-32
HS-9060-32
HS-9070-32
HS-9090-32



HS-9080-02
HS-9070-06



HS-9060-35
HS-9070-35



HS-9060-36



HS-9060-37

BROWN SIGNS

NUMBER	DESCRIPTION
HS-9060-01	Men's/Handicap
HS-9060-02	Men's Room
HS-9060-03	Restrooms
HS-9060-04	Women's Room
HS-9060-05	Women's/Handicap
HS-9060-22	No Smoking
HS-9060-24	Stairs
HS-9060-32	Women/Men/Handicap
HS-9060-35	Exit
HS-9060-36	Arrow Diagonal
HS-9060-37	Arrow Across
HS-9080-02	Handicap Accessible

(6"x6")
(6"x6")
(6"x6")

BLUE SIGNS

NUMBER	DESCRIPTION
HS-9070-01	Men's/Handicap
HS-9070-02	Men's room
HS-9070-03	Restrooms
HS-9070-04	Women's Room
HS-9070-05	Women's/Handicap
HS-9070-06	Handicap Accessible
HS-9070-07	Boy's/Handicap
HS-9070-08	Girl's/Handicap
HS-9070-22	No Smoking
HS-9070-24	Stairs
HS-9070-27	Telephone
HS-9070-32	Women/Men/Handicap
HS-9070-35	Exit

(6"x6")

TAN SIGNS

NUMBER	DESCRIPTION
HS-9050-01	Men's/Handicap
HS-9050-05	Women's/Handicap
HS-9050-32	Women/Men/Handicap

BLACK SIGNS

NUMBER	DESCRIPTION
HS-9090-01	Men's/Handicap
HS-9090-05	Women's/Handicap
HS-9090-32	Women/Men/Handicap

SHELF PACK: 10

Polybagged

FEATURES:

- Sign Size - 6" x 9"
- Raised white lettering
- Braille translation on sign
- A.D.A. compliant

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Boston, Massachusetts

HINGES

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section K, Version 1



INDEX

Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #
BB74540.....	2k	HRP-1-LHR	6k	HWBB85045	3k	RPB73535-58	5k
BB74545.....	2k	HRP-1-RHR	6k	HWBB94545	3k	RPB74040-14	5k
BB84545.....	2k	HRP-2-LHR	6k	HWBB95045	3k	RPB74040-58	5k
BB94545.....	2k	HRP-2-RHR	6k	PB74540.....	2k	SH74545	3k
CP74545	4k	HWBB74545	3k	PB74545	2k	SH94545	3k
CP94545	4k	HWBB75045	3k	PB94545	2k		
ELECTRIC HINGE	4k	HWBB84545	3k	RPB73535-14	5k		



DON-JO HINGE CONVERSION CHART

DON-JO #	Bommer	Hager	Stanley	McKinney	PBB	ANSI
PB74540	5000	I279	F179	T2714	PB81	A8133
PB74545	5000	I279	F1979	T2714	PB81	A8133
PB94545	5002	I191	*F191	*T2314	PB51	A5133
BB74540	BB5000	BB1279	FBB179	TA2714	BB81	A8112
BB74545	BB5000	BB1279	FBB179	TA2714	BB81	A8112
BB84545	BB5001	BB1191	FBB191	TA2314	BB21	A2112
BB94545	BB5002	BB1191	*FBB191	*TA2314	BB51	A5112
SH74545	LB4310C	I250	2060	I502	SP81	K8107-1F
SH94545	LB4390C	I150	2060	I552		K51007-1F
HWBB74545	BB5004	BB1168	FBB168	T4A3786	4B81	A8111
HWBB84545	BB5005	BB1199	FBB199	T4A3386	4B21	A2111
HWBB94545	BB5006	BB1199	*FBB199	*T4A3386	4B51	A5111
HWBB75045	BB5004	BB1168	FBB168	T4A3786	4B81	A8111
HWBB85045	BB5005	BB1199	FBB199	T4A3386	4B21	A2111
HWBB95045	BB5006	BB1199	*FBB199	*T4A3386	4B51	A5111

*Use as a prefix to note Stainless Steel, 630

FINISH DESCRIPTIONS

BHMA Finish Code	U.S. Equivalent	Finish Description	Base Material
600	US P	Primed for Painting	Steel
626	US 26D	Satin Chrome Plated	Brass
630	US 32D	Satin Stainless Steel	Stainless Steel
632	US 3	Bright Brass Plated, Clear Coated	Steel
633	US 4	Satin Brass Plated, Clear Coated	Steel
639	US 10	Satin Bronze Plated, Clear Coated	Steel
640	US 10B	Satin Bronze Plated, Dark Anodized, Oil Rubbed	Steel
651	US 26	Bright Chrome Plated	Steel
652	US 26D	Satin Chrome Plated	Steel




FULL MORTISE PLAIN BEARING

Template Hinges – Standard Weight

For Medium Weight Doors/Low Frequency

All Hinges are ANSI Template



NUMBER	SIZE	GAUGE	ANSI	MATERIAL
PB74540	4 1/2" x 4"	.134	A8133	Steel
PB74545	4 1/2" x 4 1/2"	.134	A8133	Steel
PB94545	4 1/2" x 4 1/2"	.134	A5133	Stainless Steel

SHELF PACK: 3 hinges per box w/screws
24 hinges per case

FASTENERS: 8 ea. FHMS 12-24 x 1/2 (per hinge)
8 ea. FHWS 12 x 1 1/4 (per hinge)

FEATURES: 5 knuckle

FINISHES: (PB74540) 652
(PB74545) 600, 632, 633, 639, 640, 651, 652
(PB94545) 630

OPTION: Non-Removable Pin Available. Please specify NRP as a prefix

Box Pack

FULL MORTISE BALL BEARING

Template Hinges – Standard Weight

For Medium Weight Doors/Average Frequency

All Hinges are ANSI Template



NUMBER	SIZE	GAUGE	ANSI	MATERIAL
BB74540	4 1/2" x 4"	.134	A8112	Steel
BB74545	4 1/2" x 4 1/2"	.134	A8112	Steel
BB84545	4 1/2" x 4 1/2"	.134	A2112	Brass
BB94545	4 1/2" x 4 1/2"	.134	A5112	Stainless Steel

SHELF PACK: 3 hinges per box w/screws
24 hinges per case

FASTENERS: 8 ea. FHMS 12-24 x 1/2 (per hinge)
8 ea. FHWS 12-24 x 1 1/4 (per hinge)

FEATURES: 5 knuckle

FINISHES: (BB74540) 652
(BB74545) 600, 632, 633, 639, 640, 651, 652
(BB84545) 626
(BB94545) 630

OPTION: Non-Removable Pin Available. Please specify NRP as a prefix when ordering (i.e. NRPBB74545-652)

Box Pack

Don-Jo Mfg. template hinges are manufactured to close tolerances and meet all specifications and requirements set by the American National Standards Institute (ANSI)



FULL MORTISE BALL BEARING

Template Hinges – Heavy Weight

For Heavy Doors/High Frequency

All Hinges are ANSI Template



NUMBER	SIZE	GAUGE	ANSI	MATERIAL
HWBB74545	4 1/2" x 4 1/2"	.180	A8111	Steel
HWBB84545	4 1/2" x 4 1/2"	.180	A2111	Brass
HWBB94545	4 1/2" x 4 1/2"	.180	A5111	Stainless Steel
HWBB75045	5" x 4 1/2"	.190	A8111	Steel
HWBB85045	5" x 4 1/2"	.190	A2111	Brass
HWBB95045	5" x 4 1/2"	.190	A5111	Stainless Steel

SHELF PACK: 3 hinges per box w/screws

Box Pack

24 hinges per case

FASTENERS: 8 ea. FHMS 12-24 x 1/2 (per hinge)

8 ea. FHWS 12 x 1 1/4 (per hinge)

FEATURES:

- All Heavyweight hinges come with Non-Removable Pin (NRP) as standard
- 4 ball bearings
- 5 knuckle

FINISHES: (HWBB74545, HWBB75045) 632, 633, 640, 651, 652

(HWBB84545, HWBB85045) 626

(HWBB94545, HWBB95045) 630

FULL MORTISE SPRING HINGE

Template Hinges – Standard Weight

All Hinges are ANSI Template



NUMBER	SIZE	GAUGE	ANSI	MATERIAL
SH74545	4 1/2" x 4 1/2"	.134	K81071F	Steel
SH94545	4 1/2" x 4 1/2"	.134	K51071F	Stainless Steel

SHELF PACK: 2 hinges per box w/screws


Box Pack

20 hinges per case

FASTENERS: 8 ea. FHMS 12-24 x 1/2 (per hinge)

8 ea. FHWS 12 x 1 1/4 (per hinge)

FEATURES:

-  Listed - Grade I
- Single acting
- Self lubricating bearings
- Easy spring tension adjustment
- Non-handed

FINISHES: (SH74545) 600, 632, 633, 640, 651, 652

(SH94545) 630

Don-Jo Mfg. template hinges are manufactured to close tolerances and meet all specifications and requirements set by the American National Standards Institute (ANSI)



COMBO PACK

2 Spring Hinges - 1 Ball Bearing Hinge

All Hinges are ANSI Template

NUMBER	SIZE	GAUGE	ANSI	MATERIAL
CP74545	4 1/2" x 4 1/2"	.134	K81071F (Spring) A8112 (Ball Bearing)	Steel
CP94545	4 1/2" x 4 1/2"	.134	K51071F (Spring) A5112 (Ball Bearing)	Stainless Steel



SHELF PACK: 3 hinges per box w/screws

Box Pack

36 hinges per case

FASTENERS: 8 ea. FHMS 12-24 x 1/2 (per hinge)

8 ea. FHWS 12 x 1 1/4 (per hinge)

FINISHES: (CP74545) 600, 632, 633, 640, 651, 652

(CP94545) 630

• NFPA 80 recommends the use of a Ball Bearing Hinge with Spring Hinges

ELECTRIFIED HINGES

SHELF PACK: 1

Box Pack

FEATURES: • UL Listed

- Rated 3.5 amps
- NRP provided w/all wired hinges
- Templates available
- 12" lead on one leaf, 36" lead on the other leaf!
- 28 gauge wire
- 20 gauge wire for 2 wire hinges

FINISHES: 600, 632, 633, 639, 640, 651, 652

OPTIONS: • Available w/ 2, 4, 6, 8, 10 & 12 wires
• Longer leads available upon request
• Concealed electronic monitor available
• 7" mortar guard

HOW TO ORDER: Specify: Number of wires, type of hinge and finish
Example: E4W-BB74545-652





RESIDENTIAL HINGES



RPB73535-58 (Shown)
RPB73535-14

NUMBER	SIZE	RADIUS	GAUGE	MATERIAL
RPB73535-58	3 1/2" x 3 1/2"	5/8"	.085	Steel
RPB73535-14	3 1/2" x 3 1/2"	1/4"	.085	Steel

SHELF PACK: 2 per box / **CASE:** 50 pcs.

Box Pack

FASTENERS: Screws: #9 x 3/4" flat head Phillips

FINISHES: 632, 633, 640, 646, 647, 651, 652

OPTION: Square corner available per special order

RESIDENTIAL HINGES



RPB74040-58
RPB74040-14 (Shown)

NUMBER	SIZE	RADIUS	GAUGE	MATERIAL
RPB74040-58	4" x 4"	5/8"	.097	Steel
RPB74040-14	4" x 4"	1/4"	.097	Steel

SHELF PACK: 2 per box / **CASE:** 50 pcs.

Box Pack

FASTENERS: Screws: #9 x 1" flat head Phillips

FINISHES: 632, 633, 640, 646, 647, 651, 652


OPTION: Square corner available per special order

Don-Jo Mfg. template hinges are manufactured to close tolerances and meet all specifications and requirements set by the American National Standards Institute (ANSI)



HINGE REINFORCING PIVOT

NUMBER	SIZE	PIVOT OFFSET	HINGE SIZE	MATERIAL
HRP-1-LHR	Frame: 1 11/16" x 3 5/8" Door: 1 11/16" x 1 11/16"	3/4"	4 1/2" x 4 1/2" 5" x 4 1/2"	Steel
HRP-1-RHR	Frame: 1 11/16" x 3 5/8" Door: 1 11/16" x 1 11/16"	3/4"	4 1/2" x 4 1/2" 5" x 4 1/2"	Steel
HRP-2-LHR	Frame: 1 11/16" x 3 5/8" Door: 1 11/16" x 1 11/16"	1/2"	4" x 4" 4 1/2" x 4" / 5" x 4 1/2"	Steel
HRP-2-RHR	Frame: 1 11/16" x 3 5/8" Door: 1 11/16" x 1 11/16"	1/2"	4" x 4" 4 1/2" x 4" / 5" x 4 1/2"	Steel



SHELF PACK: 1
FASTENERS: 8 ea. 1/4-20 x 3/4" FHMS
 8 ea. #14 x 1 1/4" FHWS
 2 ea. Sex nuts
FEATURE: Helps to repair and prevent sagging doors
FINISH: 626

HRP-1-LHR
HRP-1-RHR
HRP-2-LHR
HRP-2-RHR

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Seattle, Washington

LATCH PROTECTORS


DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section G, Version 1

INDEX

Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #
9211	2g	GLP-307-RHR	1g	LP-312P	6g	OSLP-110-EBF	5g
9211-EBF	2g	ILP-206	1g	LP-312P-EBF	6g	OSLP-207	5g
AL-211	6g	ILP-212	1g	LP-2878	6g	OSLP-207-EBF	5g
ALP-206	3g	KLP-110-LHR	4g	MELP-210	5g	OSLP-210	5g
ALP-210	3g	KLP-110-RHR	4g	MELP-210-EBF	5g	OSLP-210-EBF	5g
BLP-107	4g	LELP-208	5g	MLP-111	2g	PLP-111	2g
BLP-110	4g	LELP-208-EBF	5g	MLP-111-EBF	2g	PLP-111-EBF	2g
BLP-207	4g	LP-107	3g	MLP-211	2g	PLP-211	2g
BLP-210	4g	LP-107-EBF	3g	MLP-211-EBF	2g	PLP-211-EBF	2g
CLP-106	3g	LP-207	3g	NLP-106	4g	PMLP-111	3g
CLP-110	3g	LP-207-EBF	3g	NLP-110	4g	PMLP-111-EBF	3g
ELP-208	5g	LP-111	2g	NLP-206	4g	PMLP-211	3g
ELP-208-EBF	5g	LP-111-EBF	2g	NLP-210	4g	PMLP-211-EBF	3g
ELP-208P	5g	LP-211	2g	OLP-2650	1g	SLP-106	5g
ELP-208P-EBF	5g	LP-211-EBF	2g	OLP-2651	1g	SLP-106-EBF	5g
FLP-111	6g	LP-307	1g	OSLP-107	5g	SLP-206	5g
FLP-211	6g	LP-312	6g	OSLP-107-EBF	5g	SLP-206-EBF	5g
GLP-307-LHR	1g	LP-312-EBF	6g	OSLP-110	5g		


EBF

* Special Fasteners to prevent interference with the frame


* Available on selected Latch Protectors as an option

FASTENERS

Product	Fastening Type
ILP-206 & ILP-212	3 ea. #10 x 1 1/4" one way screws, 3 ea. #8 x 1 1/4" WS Flat Head
LP-307 GLP-307, OLP-2650, OLP-2651	1 ea. 5/16-18 x 2 1/4" Carriage bolt w/Acorn nut & washer 1 ea. Drive in Rivet
LP-111 & LP-211	4 ea. 5/16-18 x 2 1/4" Carriage bolts w/Acorn nuts & washers
MLP-111 & MLP-211, PLP-111 & PLP-211, PMLP-111 & PMLP-211, LP-107 & LP-207, ELP-208 & ELP-208P, LELP-208, MELP-210, SLP-106-SLP-206, OSLP-107 & OSLP-207, OSLP-110 & OSLP-210, LP-312 & LP-312P	2 ea. 5/16-18 x 2 1/4" Carriage bolts w/Acorn nuts & washers
CLP-106 & CLP-110, NLP-106 & NLP-206, NLP-110 & NLP-210, BLP-107 & BLP-207, BLP-110 & BLP-210, KLP-110, FLP-111 & FLP-211, LP-2878	2 ea. 1/4-20 x 1 3/4" Flat Head MS w/Finish Washer
ALP-206 & ALP-210	4 ea. #10-1 1/2 Phillips SMS



The **INTERLOCK** for inswinging doors




ILP-206
ILP-212

NUMBER	DIMENSIONS	MATERIAL
ILP-206	6"	Steel
ILP-212	12"	

SHELF PACK: 10 **Display Package Size** - 4" x 12" and 4" x 16"
GAUGE: 14 (.075)
FEATURES: • 6" version for use with key-in-knob and deadbolt locks
 • 12" version for use with Mortise Locks, Simplex 1000 series, Alarm Lock DL-2500, DL-2700 & 3000, Card Access Systems, etc.
FINISHES: BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)

For **ALUMINUM ENTRANCE** doors




LP-307

NUMBER	DIMENSIONS	MATERIAL
LP-307	2 5/8" x 7"	Steel Stainless Steel

SHELF PACK: 10 **Polybagged / Display Package Size** 4" x 12"
GAUGE: 12 (.104)
FEATURES: • Reversible • Fits over cylinder - lock removal **NOT** required
 • Hand carriage bolt and rivet supplied • No specific tools required
 • 3/8" offset
FINISHES: 630, DU (Duro Coated), SL (Silver Coated)

For **ALUMINUM ENTRANCE** doors- solves pull handle interference




GLP-307
LHR SHOWN

NUMBER	DIMENSIONS	MATERIAL
GLP-307 LHR	2 5/8" x 7"	Steel Stainless Steel
GLP-307 RHR	2 5/8" x 7"	

SHELF PACK: 10 **Polybagged**
GAUGE: 12 (.104)
FEATURES: • Fits over cylinder - lock removal **NOT** required
 • Hand carriage bolt and rivet supplied • No specific tools required
 • 3/8" offset
 • Center of cylinder hole is 2 1/2" from end of plate
FINISHES: 630, DU (Duro Coated), SL (Silver Coated)

For use with **CENTER HUNG OUTSWINGING ALUMINUM** doors



OLP-2650
OLP-2651


NUMBER	DIMENSIONS	MATERIAL
OLP-2650	2 5/8" x 6 1/2"	Steel
OLP-2651	2 5/8" x 6 1/2"	

SHELF PACK: 10 **Polybagged**
GAUGE: 12 (.104)
FEATURES: • (OLP-2650) available in 1 1/8" offset
 • (OLP-2651) available in 1 3/8" offset
FINISHES: DU (Duro Coated), SL (Silver Coated)



EBF Fasteners available with selected Latch Protectors.

America's favorite for **OUTSWINGING DOORS** - completely covers the strike plate



**MLP-III
MLP-2II**

NUMBER	DIMENSIONS	MATERIAL
MLP-III	3" x 11"	Stainless Steel
MLP-2II	3" x 11"	Steel
MLP-III-EBF	3" x 11"	Stainless Steel
MLP-2II-EBF	3" x 11"	Steel

SHELF PACK: 10

Polybagged

GAUGE: 12 (.104)


FEATURES: (MLP-III, MLP-2II) Furnished with carriage bolts, washers & acorn cap nuts for safety and strength

(MLP-III-EBF, MLP-2II-EBF) Furnished w/carriage bolt & sex nut

FINISHES: (MLP-III) 630

(MLP-2II) BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)

America's favorite for **OUTSWINGING DOORS** - completely covers the strike plate



**LP-III
LP-2II
92II**

SAVE \$!

Product available polybagged

To order, replace "LP" with "9". (i.e., LP-2II will become 92II)

NUMBER	DIMENSIONS	MATERIAL
LP-III	3" x 11"	Stainless Steel
LP-2II	3" x 11"	Steel
92II (*Polybagged)	3" x 11"	Steel
LP-III-EBF	3" x 11"	Stainless Steel
LP-2II-EBF	3" x 11"	Steel
92II (*Polybagged)-EBF	3" x 11"	Steel

SHELF PACK: 10

Display Package Size - 4" x 16"

(92II, LP-III) Polybagged

GAUGE: 12 (.104)


FEATURES: • Furnished with carriage bolts, washers & acorn cap nuts for safety and strength

• Fits 2 3/4" and 2 3/8" backsets

FINISHES: (LP-III) 630

(LP-2II) BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), PC (Prime Coated), SL (Silver Coated)

Pin Latch protectors for **OUTSWINGING DOORS**



**PLP-III
PLP-2II**

NUMBER	DIMENSIONS	MATERIAL
PLP-III	3" x 11"	Stainless Steel
PLP-2II	3" x 11"	Steel
PLP-III-EBF	3" x 11"	Stainless Steel
PLP-2II-EBF	3" x 11"	Steel

SHELF PACK: 10

Polybagged

GAUGE: 12 (.104)

FEATURES: • Solid steel pin prevents spreading of door from frame

• Pin is welded on back leaving no visible point of attack from outside

• Fits 2 3/4" and 2 3/8" backsets


FINISHES: (PLP-III) 630

(PLP-2II) 626, BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated),



EBF Fasteners available with selected Latch Protectors.

Pin Latch protectors for OUTSWINGING DOORS



**PMLP-III
PMLP-2II**

NUMBER	DIMENSIONS	MATERIAL
PMLP-III	3" x 11"	Stainless Steel
PMLP-2II	3" x 11"	Steel
PMLP-III-EBF	3" x 11"	Stainless Steel
PMLP-2II-EBF	3" x 11"	Steel

SHELF PACK: 10

Polybagged


GAUGE: 12 (.104)

FEATURES: • Solid steel pin prevents spreading of door from frame
• Pin is welded on back leaving no visible point of attack from outside

FINISHES: (PMLP-III) 630

(PMLP-2II) BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)

For Outswinging doors



**LP-107
LP-207**

NUMBER	DIMENSIONS	MATERIAL
LP-107	2 3/4" x 7"	Stainless Steel
LP-207	2 3/4" x 7"	Steel
LP-107-EBF	2 3/4" x 7"	Stainless Steel
LP-207-EBF	2 3/4" x 7"	Steel

SHELF PACK: 10

Display Package Size - 4" x 12"


GAUGE: 12 (.104)

FEATURES: Furnished with carriage bolts, washers & acorn cap nuts for safety and strength

FINISHES: (LP-107) 630

(LP-207) BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)

COMMERCIAL TYPE for outswinging doors



**CLP-106
CLP-110**

NUMBER	DIMENSIONS	MATERIAL
CLP-106	2 1/8" x 6"	Stainless Steel
CLP-110	2 1/8" x 10"	

SHELF PACK: 10

Polybagged


GAUGE: 12 (.104)

FEATURES: • 6" for key-in-knobs • 10" for Mortise Locks

• Architectural design • Concealed welded studs with fasteners

FINISHES: 630

ANGLE TYPE for outswinging doors



**ALP-206
ALP-210**

NUMBER	DIMENSIONS	MATERIAL
ALP-206	6"	Steel
ALP-210	10"	

SHELF PACK: 10

Polybagged

GAUGE: 10 (.134)

FEATURES: • 6" for key-in-knobs

• 10" for Mortise Locks


• 1 1/2" sheet metal screws for wood or metal

FINISHES: BC (Brass Coated), DU (Duro Coated), SL (Silver Coated)



DON-JO MFG., INC.

NARROW COMMERCIAL TYPE for outswinging doors



NLP-106
NLP-110
NLP-206
NLP-210

NUMBER	DIMENSIONS	MATERIAL
NLP-106	1 1/2" x 6"	Stainless Steel
NLP-110	1 1/2" x 10"	
NLP-206	1 1/2" x 6"	Steel
NLP-210	1 1/2" x 10"	

SHELF PACK: 10

Polybagged


GAUGE: 12 (.104)

FEATURES: • 6" for key-in-knobs • 10" for Mortise Locks
• Narrow type for outswinging doors

FINISHES: (NLP-106, NLP-110) 630

(NLP-206, NLP-210) **DU** (Duro Coated), **PC** (Prime Coated),
SL (Silver Coated)

For KEY-IN-LEVER Locks with up to 3 3/4" ESCUTCHEON



BLP-107
BLP-207

BLP-110
BLP-210

NUMBER	DIMENSIONS	MATERIAL
BLP-107	3 1/4" x 7"	Stainless Steel
BLP-110	3 1/4" x 10"	
BLP-207	3 1/4" x 7"	Steel
BLP-210	3 1/4" x 10"	

SHELF PACK: 10

Polybagged


GAUGE: 12 (.104)

FEATURES: • Works with up to 3 3/4" rose
• Concealed welded studs with fasteners

FINISHES: (BLP-107, BLP-110) 630

(BLP-207, BLP-210) **BP** (Brass Plated), **DU** (Duro Coated),
SL (Silver Coated)

For ELECTRONIC LOCKS



"RHR" SHOWN

KLP-110-LHR
KLP-110-RHR

NUMBER	DIMENSIONS	MATERIAL
KLP-110-LHR	1 1/2" x 10"	Stainless Steel
KLP-110-RHR	1 1/2" x 10"	

SHELF PACK: 10

Polybagged

GAUGE: 12 (.104)


FEATURES: • Works with ILCO 1000, 4000
• Alarm Lock Trilogy Locks
• Mas-Hamilton Power Levers
• Schlage Cobra
• Marks I-Q

FINISHES: 630




EBF Fasteners available with selected Latch Protectors.

SHORT TYPE for outswinging doors



**SLP-106
SLP-206**



**OSLP-110
OSLP-210**

NUMBER	DIMENSIONS	MATERIAL
SLP-106	2 5/8" x 6"	Stainless Steel
SLP-206	2 5/8" x 6"	Steel
OSLP-107	2 5/8" x 7"	Stainless Steel
OSLP-207	2 5/8" x 7"	Steel
OSLP-110	2 5/8" x 10"	Stainless Steel
OSLP-210	2 5/8" x 10"	Steel
SLP-106-EBF	2 5/8" x 6"	Stainless Steel
SLP-206-EBF	2 5/8" x 6"	Steel
OSLP-107-EBF	2 5/8" x 7"	Stainless Steel
OSLP-207-EBF	2 5/8" x 7"	Steel
OSLP-110-EBF	2 5/8" x 10"	Stainless Steel
OSLP-210-EBF	2 5/8" x 10"	Steel

SHELF PACK: 10


Display Package Size - 4" x 12"

GAUGE: 12 (.104)


- FEATURES:**
- (SLP) Display Packaged
 - (OSLP) Polybagged
 - Furnished with carriage bolts, washers & acorn cap nuts for safety and strength
 - May be used on hollow metal door/frame using ANSI strike
 - Works with up to 3 3/4" rose
 - SLP - 3/8" offset / OSLP - 3/4" offset

FINISHES: (SLP-106, OSLP-107, OSLP-110) 630
(SLP-206, OSLP-207, OSLP-210) BP (Brass Plated),
CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated),


For use with ELECTRIC STRIKES



**ELP-208
ELP-208P**



LELP-208
Fits up to
3 3/4" Rose



MELP 210

NUMBER	DIMENSIONS	MATERIAL
ELP-208	3 1/2" x 8"	Steel
ELP-208P	3 1/2" x 8"	
LELP-208	3 1/2" x 8"	
MELP-210	2 5/8" x 10"	
ELP-208-EBF	3 1/2" x 8"	
ELP-208P-EBF	3 1/2" x 8"	
LELP-208-EBF	3 1/2" x 8"	
MELP-210-EBF	2 5/8" x 10"	

SHELF PACK: 10

Polybagged

GAUGE: 12 (.104)


- FEATURES:**
- Available with or without cylinder hole
 - Designed to fit most electric strikes
 - Completely encases the keeper for maximum protection
 - Use with Mortise, Keyless Locks & Exit Devices
 - ELP-208P No Cylinder Hole

FINISHES: DU (Duro Coated), SL (Silver Coated)



EBF Fasteners available with selected Latch Protectors.

Fits **FOLGER ADAMS ELECTRIC STRIKE** for outswinging doors




**FLP-III
FLP-2II**

NUMBER	DIMENSIONS	MATERIAL
FLP-111	1 3/4" x 11 1/4"	Stainless Steel
FLP-211	1 3/4" x 11 1/4"	Steel

SHELF PACK: 10 Polybagged
GAUGE: 12 (.104)
FEATURES: Works with Folger Adams 310 & 710 models
FINISHES: (FLP-111) 630
 (FLP-211) BP (Brass Plated), DU (Duro Coated)

For outswinging **ALUMINUM ENTRANCE DOORS**




AL-211

NUMBER	DIMENSIONS	MATERIAL
AL-211	3 1/2" x 12"	Steel

SHELF PACK: 10 Polybagged
GAUGE: 12 (.104)
FINISHES: DU (Duro Coated), SL (Silver Coated)
FEATURES: Sex nuts and bolts for secure mounting and professional appearance

Fits **ADAMS RITE LATCH LOCK** for outswinging doors




**LP-312
LP-312P**

NUMBER	DIMENSIONS	MATERIAL
LP-312	2 5/8" x 12"	Steel
LP-312P	2 5/8" x 12"	
LP-312-EBF	2 5/8" x 12"	
LP-312P-EBF	2 5/8" x 12"	

SHELF PACK: 10 Polybagged
GAUGE: 12 (.104)
FEATURES: • Reversible
 • 3/8" offset - 1 7/16" hole - 1 1/8" backset
 • LP-312P No Center Hole
FINISHES: DU (Duro Coated), SL (Silver Coated)

SLIMLINE for outswinging doors



LP-2878

NUMBER	DIMENSIONS	MATERIAL
LP-2878	1 1/2" x 8 7/8"	Steel

SHELF PACK: 10 Polybagged
GAUGE: 5/16" thick (.3125)
FEATURES: Sleek appearance
FINISHES: DU (Duro Coated), PC (Prime Coated), SL (Silver Coated)

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Dallas, Texas

STRIKE PLATES

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section I, Version 1



INDEX

Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #
2-SDS	5i	BDF-2	li	EST-104	2i	MEST-102	3i
2-SDS-8	5i	BS-161	li	EST-115	2i	MEST-103	3i
2-SS	5i	BX-2-SDS	5i	EST-125	2i	MEST-104	3i
9102	2i	DBS-1478	li	EST-175	2i	MEST-115	3i
9103	2i	DBS-2478	li	ETS-102	3i	MEST-125	3i
9104	2i	DL-11	5i	ETS-103	3i	MEST-175	3i
9115	2i	DL-12	5i	ETS-104	3i	MST-161	li
9125	2i	DS-234	li	ETS-115	3i	MST-261	li
9175	2i	DST-161	li	ETS-125	3i	ST-134	li
9234	li	EL-102	2i	ETS-175	3i	ST-144	li
9450	5i	EL-103	2i	FL-208N	4i	ST-161	li
9454	5i	EL-104	2i	FL-208W	4i	ST-214	li
A-2-SDS	5i	EL-115	2i	FL-208NM	4i	ST-214-RC	li
A-2-SS	5i	EL-125	2i	FL-208WM	4i	ST-261	li
AST-21341	4i	EL-175	2i	FL-212N	4i	T9102	3i
AST-21381	4i	EL-202	2i	FL-212W	4i	T9103	3i
AST-21342	4i	EL-203	2i	FL-212N4	4i	T9104	3i
AST-21382	4i	EL-204	2i	FL-212W4	4i	T9115	3i
AST-21346	4i	EL-205	2i	FL-212N6	4i	T9125	3i
AST-21386	4i	EL-225	2i	FL-212W6	4i	T9175	3i
AST-2134M	4i	EST-102	2i	FL-212NM	4i	TS-100	3i
AST-2138M	4i	EST-103	2i	FL-212WM	4i	TS-234	li

FASTENERS

Product	Fastening Type
BDF-2, BS-161, DBS-2478, DST-161, MST-161, MST-261, ST-134, ST-144, ST-161, ST-261	2 ea. 12-24 x 3/4" FH Combo Screw
DS-234, TS-234, 9234, ST-214, ST-214-RC	2 ea. #8-32 x 3/4" FH Combo Screw
EL-200s	2 ea. #8-32 x 3/4" FH Combo Screw
EL-100s, 9100s	2 ea. #8-32 x 3/4" FH Combo Screw
EST-100s	2 ea. 12-24 x 3/4" FH Combo Screw
ETS-100s, T9100s	2 ea. #8-32 x 3/4" FH Combo Screw
MEST-100s	#12-24 x 3/4" FH Combo Screw
TS-100	1 ea. #10 x 1 3/8" Truss Head Screw
2-SDS, 2-SS, 2-SDS-8	2 ea. #12 x 1" FHMS, 2 ea. #8 x 3" Bugle Head WS
DL-11, DL-12	2 ea. #8 x 3/4" FH Combo Screw
AST & FL STRIKES	4 ea. #12 x 1" FHMS, 2 ea. #8 x 3" Bugle Head WS
A-2-SDS, A-2-SS, 9450, 9454	2 ea. #8 x 2" FHMS

ANSI STRIKES



BFD-2
Deadbolt type
for hollow
metal frame



BS-161
Blank
strikes



DBS-1478
DBS-2478
For deadbolt



DST-161
Dimpled type
for use with
roller latch

NUMBER	DIMENSIONS
BFD-2	4 7/8" x 1 1/4"
BS-161	4 7/8" x 1 1/4"
DBS-1478	4 7/8" x 1 1/4"
DBS-2478	4 7/8" x 1 1/4"
DST-161	4 7/8" x 1 1/4"
MST-161	4 7/8" x 1 1/4"
MST-261	4 7/8" x 1 1/4"
ST-134	3 1/4" x 1 1/8"
ST-144	4 1/4" x 1 1/8"
ST-161	4 7/8" x 1 1/4"
ST-261	4 7/8" x 1 1/4"



MST-161
MST-261
Mortise type



ST-134
Replacement
strike



ST-144
Replacement
strike



ST-161
ST-261
Standard ANSI

SHELF PACK: 30

GAUGE: 13 (.095) Steel

FINISHES: (BFD-2) BP (Steel Brass Plated), SL (Silver Coated)

(BS-161) 605, 613, 626, 630

(DBS-1478) 626

(DBS-2478, MST-261, ST-261) BP (Steel Brass Plated),

DU (Duro Coated), SL (Silver Coated)

(DST-161) 605

(ST-161) 605, 606, 612, 613, 625, 626, 630

(ST-134, ST-144, MST-161) 630

Polybagged

REPLACEMENT STRIKES



DS-234
Replacement strike



TS-234
9234
T-strike

SAVE \$!

Product available
polybagged
To order replace "TS"
with "9". (i.e., TS-234
will become 9234)

NUMBER	DIMENSIONS
DS-234	2 3/4" x 1 1/8"
TS-234	2 3/4" x 1 1/8"
9234	2 3/4" x 1 1/8"
ST-214	2 1/4" x 1 1/4"
ST-214-RC	2 1/4" x 1 1/4"

SHELF PACK: (ST-214, ST-214-RC, TS-234,) 10
(DS-234) 30


GAUGE: 18 (.050)

FINISHES: (DS-234, TS-234) 605, 630


(ST-214, ST-214-RC) 605, 619, 620, 630, DU (Duro Coated)

(9234, DS-234, ST-214, ST-214RC) Polybagged

(TS-234) - Display Packaged size - 4" x 6 1/2"




ST-214
Replacement strike



ST-214-RC
Replacement strike



2 3/4" EXTENDED LIP STRIKE




NUMBER	DIMENSIONS
EL-202	2 3/4" x 2"
EL-203	2 3/4" x 3"
EL-204	2 3/4" x 4"
EL-205	2 3/4" x 5"
EL-225	2 3/4" x 2 1/2"

SHELF PACK: 10
GAUGE: 13 (.095)

Polybagged

FINISHES: BP (Steel Brass Plated), SL (Silver Coated), DU (Duro Coated)

2 1/4" EXTENDED LIP STRIKE



NUMBER	DIMENSIONS
EL-102	2 1/4" x 2"
EL-103	2 1/4" x 3"
EL-104	2 1/4" x 4"
EL-115	2 1/4" x 1 1/2"
EL-125	2 1/4" x 2 1/2"
EL-175	2 1/4" x 1 3/4"
9102	2 1/4" x 2"
9103	2 1/4" x 3"
9104	2 1/4" x 4"
9115	2 1/4" x 1 1/2"
9125	2 1/4" x 2 1/2"
9175	2 1/4" x 1 3/4"

SAVE \$!

Product available
polybagged

To order, replace "EL"
with "9". (i.e., EL-102
will become 9102)

SHELF PACK: 10 Display Packaged Size - 4" x 6 1/2"

GAUGE: 18 (.050)


FEATURES: • Also available with 1/4" radius corners - RC
(i.e., EL-115-630-RC)

• "EL" series will be shipped in Display Package Only

• "9" series will be shipped in Poly Bag Package Only

FINISHES: 605, 609, 619, 620, 630, DU

4 7/8" EXTENDED LIP ANSI STRIKE



NUMBER	DIMENSIONS
EST-102	4 7/8" x 2"
EST-103	4 7/8" x 3"
EST-104	4 7/8" x 4"
EST-115	4 7/8" x 1 1/2"
EST-125	4 7/8" x 2 1/2"
EST-158	4 7/8" x 1 5/8"
EST-175	4 7/8" x 1 3/4"

SHELF PACK: 5


GAUGE: 13 (.095)

FINISH: 630

Polybagged



2 3/4" EXTENDED LIP T-STRIKE



SAVE \$!

Product available
polybagged
To order, replace "ETS"
with "T9". (i.e., ETS-102
will become T9102)

NUMBER	DIMENSIONS
ETS-102	2 3/4" x 2"
ETS-103	2 3/4" x 3"
ETS-104	2 3/4" x 4"
ETS-115	2 3/4" x 1 1/2"
ETS-125	2 3/4" x 2 1/2"
ETS-175	2 3/4" x 1 3/4"
T9102	2 3/4" x 2"
T9103	2 3/4" x 3"
T9104	2 3/4" x 4"
T9115	2 3/4" x 1 1/2"
T9125	2 3/4" x 2 1/2"
T9175	2 3/4" x 1 3/4"

SHELF PACK: 10 Display Packaged Size - 4" x 6 1/2"


GAUGE: 18 (.050)

FEATURES:

- "ETS" series will be shipped in Display Package Only
- "T9" series will be shipped in Poly Bag Package Only

FINISHES: 605, 609, 630

MORTISE TYPE EXTENDED LIP ANSI STRIKE




NUMBER	DIMENSIONS
MEST-102	4 7/8" x 2"
MEST-103	4 7/8" x 3"
MEST-104	4 7/8" x 4"
MEST-115	4 7/8" x 1 1/2"
MEST-125	4 7/8" x 2 1/2"
MEST-158	4 7/8" x 1 5/8"
MEST-175	4 7/8" x 1 3/4"

SHELF PACK: 5 Polybagged

GAUGE: 13 (.095) Steel

FINISH: 630

THIMBLE STRIKE



TS-100
Thimble strike

NUMBER	DIMENSIONS
TS-100	1" Diameter

SHELF PACK: 20 Polybagged

FINISHES: BP (Brass Plated), CP (Chrome Plated)



SERIES-8, SERIES-12 AND SERIES-18 STRIKES

Single hole version
designed to work
with key-in-knob
or deadbolt



AST-2134I
AST-2138I
FL-208N
FL-208W
FL-212N
FL-212W

Double hole version
designed to accom-
odate both 3 5/8" & 4"
centered locksets



AST-21342
AST-21382
FL-212N4
FL-212W4

NUMBER	DIMENSIONS
AST-2134I	18" x 1 3/4"
AST-2138I	18" x 1 3/8"
FL-208N	8" x 1 3/8"
FL-208W	8" x 1 3/4"
FL-212N	12" x 1 3/8"
FL-212W	12" x 1 3/4"
AST-21342	18" x 1 3/4"
AST-21382	18" x 1 3/8"
FL-212N4	12" x 1 3/8"
FL-212W4	12" x 1 3/4"
AST-21346	18" x 1 3/4"
AST-21386	18" x 1 3/8"
FL-212N6	12" x 1 3/8"
FL-212W6	12" x 1 3/4"
AST-2134M	18" x 1 3/4"
AST-2138M	18" x 1 3/8"
FL-208NM	8" x 1 3/8"
FL-208WM	8" x 1 3/4"
FL-212NM	12" x 1 3/8"
FL-212WM	12" x 1 3/4"

Double hole version
designed to accom-
odate 5 1/2" & 6"
center holes



AST-21346
AST-21386
FL-212N6
FL-212W6

Mortise hole version
with "universal"
center hole



AST-2134M
AST-2138M
FL-208NM
FL-208WM
FL-212NM
FL-212WM

SHELF PACK: IO

Polybagged

GAUGE: 13 (.095) Steel **Display Packaged Size - 4" x 16"**

FINISHES: BP (Brass Plated), SL (Silver Coated),

WH (White Coated)

SECURITY STRIKES




2-SDS
For deadbolt



2-SS
For key-in-knob



2-SDS-8
Super strike for deadbolt




BX-2-SDS


NUMBER	DIMENSIONS
2-SDS	4 7/8" x 1 1/4"
2-SS	4 7/8" x 1 1/4"
2-SDS-8	8" x 1 3/8"
BX-2-SDS	4 7/8" x 1 1/4"

SHELF PACK: 10 Display Packaged Size - 4" x 7 3/4"
FEATURES: • Super Strike: Display Packaged Size - 4" x 16"
 • Supplied with 3" screws for extra security
FINISHES: BP (Steel Brass Plated), SL (Steel Silver Coated)
 I3 (.095) Gauge Steel

DOUBLE LIP STRIKES



DL-II
Center Hung



DL-I2

NUMBER	DIMENSIONS
DL-II	5 3/4" x 2 3/4"
DL-I2	5 3/4" x 2 3/4"

SHELF PACK: 10 Polybagged
FINISHES: 630
 I3 (.095) Gauge Steel


ADJUSTABLE STRIKES




A-2-SDS
Adjustable for
deadbolt



A-2-SS
Adjustable for
key-in-knob



9450
Adjustable
"T" Strike




9454
Adjustable
ANSI Strike

NUMBER	DIMENSIONS
A-2-SDS	1 1/4" x 3 3/8"
A-2-SS	1 3/4" x 3 3/8"
9450	1 1/4" x 2 3/4"
9454	1 1/4" x 4 7/8"

SHELF PACK: 10 Polybagged
FINISHES: (A-2-SDS, A-2-SS) BP (Steel Brass Plated),
 SL (Steel Silver Coated)
 (9450, 9454) BP (Steel Brass Plated),
 CP (Chrome Plated)
 I3 (.095) Gauge Steel

CUSTOM STRIKE ORDER FORM



* FOR STRIKES WITH
2 LATCH HOLES, PLEASE
ADD SECOND HOLE WITH
ALL NECESSARY
MEASUREMENTS *

** IF STRIKE IS HANDED
PLEASE NOTE HAND
SHOWN **

A=	E=	I=
B=	F=	J=
C=	G=	K (SCREW SIZE)=
D=	H=	

PART

CST-100
CST-200
CST-200
CST-200

FINISH

☐ 630
☐ STEEL-BP
☐ STEEL-DU
☐ STEEL-SL

HANDING

LH _____
RH _____

QTY.

LIP

Flat
Curved

P.O. BOX 929 * STERLING, MA. 01564-0929

* PH (800) 628-8389 * FAX (800) 278-8202

E-MAIL: sales@don-jo.com * http://www.don-jo.com

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



San Francisco, California

WRAP-AROUND PLATES

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section F, Version 1



INDEX

Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #
1-CW	1f	18-CW	6f	55A-CW	9f	258-CW	2f
2-CW	1f	19-CW	7f	55A-2-CW	9f	261-CW	2f
3-CW	1f	20-CW	4f	61-CW	1f	264-CW	2f
4-CW	1f	20-2-CW	4f	70-CW	3f	481-CW	2f
4-2-CW	4f	20B-CW	4f	71-CW	1f	484-CW	2f
4U-2-CW	8f	20C-CW	4f	75-CW	4f	486-CW	3f
5-CW	1f	20-FE	9f	80-CW	3f	504-CW	8f
5K-CW	4f	21-CW	7f	81-CW	1f	504-FE	10f
6-CW	1f	22-CW	7f	81-2-CW	4f	514-CW	8f
7-CW	1f	23-CW	7f	90-CW	3f	518-CW	6f
8-CW	1f	24-CW	7f	93-KV-CW	6f	942-CW	3f
9-CW	5f	25-CW	6f	95-CW	4f	943-CW	3f
9K-CW	4f	27-CW	5f	151-CW	2f	946-CW	3f
10-FE	9f	28-CW	5f	154-CW	2f	4000-2-CW	5f
12-CW	2f	30-CW	3f	200-CW	9f	4000-4-CW	5f
12-2-CW	2f	33-CW	9f	200C-CW	9f	4500-CW	8f
14-CW	7f	33A-CW	9f	212-CW	9f	4550-CW	8f
14-2-CW	7f	33A-2-CW	9f	212C-CW	9f	5000-CW	5f
15-CW	5f	40-CW	3f	214-CW	9f	5100-CW	6f
16-CW	6f	51-CW	1f	214C-CW	9f	E2000-CW	5f
17-CW	6f	55-CW	9f	256-CW	2f		


FASTENERS

Product	Fastening Type
All Wrap-Arounds	Trim Screws: 4 ea. #8 x 3/4" Phillips Truss Head Latch Screws: 2 ea. #8-32 x 1/4" Flat Head (per latch)
CW-504 & CW-514	Trim Screws: 2 ea. 1/4-20 x 3/4" MS Truss Head and 1/4-20 x 1 1/2" Sex Nut Latch Screws: #12-24 x 1/2" FHMS



CLASSIC WRAP-AROUNDS

For CYLINDRICAL DOOR LOCKS with 2 1/8" hole



**1-CW
2-CW
3-CW
4-CW**

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 11"

NUMBER	BACKSET	DOOR	DIMENSIONS
1-CW	2 3/8"	1 3/8"	4" x 9"
2-CW	2 3/8"	1 3/4"	4" x 9"
3-CW	2 3/4"	1 3/8"	4 1/4" x 9"
4-CW	2 3/4"	1 3/4"	4 1/4" x 9"

SHELF PACK: 1


GAUGE: 22 (.032)

FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

Box Size - 4 1/2" x 9 3/4"

CW comes box packaged as standard.

For DEADBOLTS with 1 1/2" hole



**5-CW
6-CW
7-CW
8-CW**

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 6 1/2"

NUMBER	BACKSET	DOOR	DIMENSIONS
5-CW	2 3/8"	1 3/8"	4" x 4 1/2"
6-CW	2 3/8"	1 3/4"	4" x 4 1/2"
7-CW	2 3/4"	1 3/8"	4 1/4" x 4 1/2"
8-CW	2 3/4"	1 3/4"	4 1/4" x 4 1/2"

SHELF PACK: 1


GAUGE: 22 (.032)

FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

Box Size - 5 1/4" x 4 1/2"

CW comes box packaged as standard.

For CYLINDRICAL DOOR LOCKS with 2 1/8" hole



**51-CW
61-CW
71-CW
81-CW**

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 6 1/2"

NUMBER	BACKSET	DOOR	DIMENSIONS
51-CW	2 3/8"	1 3/8"	4" x 4 1/2"
61-CW	2 3/8"	1 3/4"	4" x 4 1/2"
71-CW	2 3/4"	1 3/8"	4 1/4" x 4 1/2"
81-CW	2 3/4"	1 3/4"	4 1/4" x 4 1/2"

SHELF PACK: 1


GAUGE: 22 (.032)

FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

Box Size - 5 1/4" x 4 1/2"

CW comes box packaged as standard.

For DOUBLE LOCK COMBINATION LOCKSETS with 1 1/2" hole on top and 2 1/8" hole on bottom with 4" centers



**154-CW
264-CW
484-CW**

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 11"

NUMBER	BACKSET	DOOR	DIMENSIONS
154-CW	2 3/8"	1 3/8"	4" x 9"
264-CW	2 3/8"	1 3/4"	4" x 9"
484-CW	2 3/4"	1 3/4"	4 1/4" x 9"

SHELF PACK: 1


Box Size - 4 1/2" x 9 3/4"

GAUGE: 22 (.032)

CW comes box packaged as standard.

FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

For DOUBLE LOCK COMBINATION LOCKSETS with 2 1/8" holes with 5 1/2" centers



**256-CW
258-CW**

NUMBER	BACKSET	DOOR	DIMENSIONS
256-CW	2 3/8"	1 3/4"	4" x 12"
258-CW	2 3/4"	1 3/4"	4 1/4" x 12"


SHELF PACK: 1

Box Pack


GAUGE: 22 (.032)

FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

For CYLINDER DOOR LOCKS with 2 1/8" hole, 12" height



12-CW



12-2-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
12-CW	2 3/4"	1 3/4"	4 1/4" x 12"
12-2-CW	2 3/4"	1 3/4"	4 3/4" x 12"


SHELF PACK: 1

Box Pack

GAUGE: 22 (.032)

FINISHES: 10B (613), PB (605), S (630)

For DOUBLE LOCK COMBINATION LOCKSETS with 2 1/8" holes with 3 5/8" centers



**151-CW
261-CW
481-CW**

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 11"

NUMBER	BACKSET	DOOR	DIMENSIONS
151-CW	2 3/8"	1 3/8"	4" x 9"
261-CW	2 3/8"	1 3/4"	4" x 9"
481-CW	2 3/4"	1 3/4"	4 1/4" x 9"

SHELF PACK: 1

Box Size - 4 1/2" x 9 3/4"


GAUGE: 22 (.032)

CW comes box packaged as standard.

FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)



For DOUBLE LOCK COMBINATION LOCKSETS with 2 1/8" holes with 4" centers



942-CW
943-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
942-CW	2 3/8"	1 3/4"	4" x 9"
943-CW	2 3/4"	1 3/4"	4 1/4" x 9"

SHELF PACK: I

Box Size - 4 1/2" x 9 3/4"

GAUGE: 22 (.032)


CW comes box packaged as standard.

FINISHES: IOB (613), AB (609), BZ (612), PB (605), S (630)


Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 11"

For DOUBLE LOCK COMBINATION LOCKSETS with 6" centers



486-CW
hole sizes
1 1/2" over 2 1/8"



946-CW
hole sizes
2 1/8" over 2 1/8"

NUMBER	BACKSET	DOOR	DIMENSIONS
486-CW	2 3/4"	1 3/4"	4 1/2" x 12"
946-CW	2 3/4"	1 3/4"	4 1/2" x 12"

SHELF PACK: I

Box Pack

GAUGE: 22 (.032)

FINISHES: IOB (613), PB (605), S (630)

BLANK WRAP-AROUND with TRIM SCREWS



30-CW
40-CW
70-CW
80-CW
90-CW

NUMBER	DOOR	DIMENSIONS
30-CW	1 3/8"	4 1/4" x 9"
40-CW	1 3/4"	4 1/4" x 9"
70-CW	1 3/8"	4 1/4" x 4 1/2"
80-CW	1 3/4"	4 1/4" x 4 1/2"
90-CW	1 3/4"	5" x 12"

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 11" and 5 1/4" x 6 1/2"

SHELF PACK: I

Box Size - 5 1/4" x 4 1/2" and 4 1/2" x 9 3/4"


GAUGE: 22 (.032)

CW comes box packaged as standard.

90-CW Box Pack Only

FINISHES: IOB (613), AB (609), BZ (612), PB (605), S (630)

20" WRAP-AROUND



20-CW

20B-CW

20-2-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
20-CW	2 3/4"	1 3/4"	5" x 20"
20B-CW	—	1 3/4"	5" x 20"
20C-CW	2 3/8"	1 3/4"	5" x 20"
20-2-CW	2 3/4"	1 3/4"	5 3/4" x 20"

SHELF PACK: 1


Box Pack

GAUGE: 22 (.032)

FEATURES: • Beveled front
• Non-handed

FINISHES: 10B (613), PB (605), S (630)

For installing the MARKS LEVERS



75-CW

95-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
75-CW	2 3/4"	1 3/4"	4 3/4" x 5 1/2"
95-CW	2 3/4"	1 3/4"	4 3/4" x 9"


SHELF PACK: 1

Box Pack

GAUGE: 22 (.032)

FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

For installing the BEST AND SARGENT LEVER LOCKS



5K-CW

9K-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
5K-CW	2 3/4"	1 3/4"	4 3/4" x 5 1/2"
9K-CW	2 3/4"	1 3/4"	4 3/4" x 9"


SHELF PACK: 1

Box Pack

GAUGE: 22 (.032)

FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

For use with HEAVY DUTY GRADE 1 & GRADE 2 key-in-levers



4-2-CW

81-2-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
4-2-CW	2 3/4"	1 3/4"	4 3/4" x 9"
81-2-CW	2 3/4"	1 3/4"	4 3/4" x 4 1/2"

SHELF PACK: 1


Box Pack

GAUGE: 22 (.032)


FEATURES: Works with Schlage, Arrow, Yale, Sargent, Corbin Russwin and Falcon T
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)




For KABA/SIMPLEX 1000, E-2000, 4000 & 5000 SERIES




9-CW




15-CW



4000-CW



5000-CW



E-2000-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
9-CW	2 3/4"	1 3/4"	5" x 9"
15-CW	2 3/4"	1 3/4"	5" x 15"
4000-2-CW	2 3/8"	1 3/4"	5" x 15"
4000-4-CW	2 3/4"	1 3/4"	5" x 15"
5000-CW	2 3/4"	1 3/4"	5" x 15"
E2000-CW	2 3/4"	1 3/4"	5" x 15"

SHELF PACK: I


Box Pack

GAUGE: 22 (.032)

FEATURES: (9-CW & 15-CW) Works with Simplex 1000 Lock
(E2000-CW) Works with Simplex E-2000 Lock
(4000-CW) Works with Simplex 4000 Lock
(5000-CW) Works with Simplex 5000 Lock

FINISHES: (9-CW, 15-CW, 4000-2-CW, 4000-4-CW) 10B (613), AB (609), PB (605), S (630)
(5000-CW) 10B (613), PB (605), S (630)
(E2000-CW) 10B (613), PB (605), S (630)

For ALARM LOCK 2700/T2, 3000 & DL 4100 SERIES TRILOGY LOCK



27-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
27-CW	2 3/4"	1 3/4"	5" x 15"


SHELF PACK: I

Box Pack

GAUGE: 22 (.032)

FINISHES: (27-CW) 10B (613), AB (609), PB (605), S (630)

For SECURITRON SABLE LOCK



28-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
28-CW	2 3/4"	1 3/4"	5" x 15"

SHELF PACK: I


Box Pack

GAUGE: 22 (.032)


FEATURES: Works with Securitron Sable Lock

FINISHES: (28-CW) 10B (613), PB (605), S (630)

For **BEST 93-KV LOCKS & MAS-HAMILTON POWER LEVERS**



93-KV-CW




16-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
93-KV-CW	2 3/4"	1 3/4"	5 1/2" x 12 3/4"
16-CW	2 3/4"	1 3/4"	5" x 15"

SHELF PACK: I Box Pack
GAUGE: 22 (.032)
FINISHES: 10B (613), PB (605), S (630)

For **ARROW REVOLUTION AND YALE IN TOUCH LOCKS**




25-CW


NUMBER	BACKSET	DOOR	DIMENSIONS
25-CW	2 3/4"	1 3/4"	5 1/8" x 15"

SHELF PACK: I Box Pack
GAUGE: 22 (.032)
FINISHES: 10B (613), PB (605), S (630)


For **SCHLAGE COBRA LOCKS**



17-CW



18-CW




518-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
17-CW	2 3/4"	1 3/4"	5" x 12"
18-CW	2 3/4"	1 3/4"	5" x 15"
518-CW	2 3/4"	1 3/4"	5" x 12"

SHELF PACK: I Box Pack
GAUGE: 22 (.032)
FEATURES: Works with Schlage King Cobra Cylindrical and Mortise Lock
FINISHES: (17-CW, 18-CW) 10B (613), BZ (612), PB (605), S (630)
(518-CW) 10B (613), PB (605), S (630)

For **SCHLAGE PRO SERIES**




5100-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
5100-CW	2 3/4"	1 3/4"	5 1/8" x 15"

SHELF PACK: I Box Pack
GAUGE: 22 (.032)
FEATURES: Works with Schlage/Locknetics pro series
FINISHES: 10B (613), PB (605), S (630)

For MARKS I-Q LOCKS



19-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
19-CW	2 3/4"	1 3/4"	5" x 15"


SHELF PACK: I

Box Pack


GAUGE: 22 (.032)

FINISHES: 10B (613), PB (605), S (630)


For CODELOCKS 2010, 4010 & 5000 SERIES




21-CW



22-CW



23-CW



24-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
21-CW	2 3/8"	1 3/4"	5" x 9"
22-CW	2 3/8"	1 3/4"	5" x 15"
23-CW	2 3/4"	1 3/4"	5" x 9"
24-CW	2 3/4"	1 3/4"	5" x 15"

SHELF PACK: I


Box Pack

GAUGE: 22 (.032)


FEATURES: (21-CW, 22-CW) Work with 2010 and 4010 series lock
(23-CW, 24-CW) Work with 5000 series lock

FINISHES: 10B (613), PB (605), S (630)

For conversion of SIMPLEX 1000 SERIES & ALARM LOCK DL2500, 2700/T2 & 3000 SERIES
to key-in-knob lock



14-CW



14-2-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
14-CW	2 3/4"	1 3/4"	5" x 14"
14-2-CW	2 3/4"	1 3/4"	5" x 14"


SHELF PACK: I

Box Pack


GAUGE: 22 (.032)

FINISHES: 10B (613), AB (609), PB (605), S (630)

MORTISE LOCK wrap-around plate for 86 cut-out



504-CW



514-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
504-CW	—	1 3/4"	5" x 12"
514-CW	2 3/4"	1 3/4"	5" x 12"

SHELF PACK: 1

Box Pack


GAUGE: 22 (.032)

FEATURES:

- 8" x 1 1/4" Recess
- Drill spindle and thumb turn holes in field
- Rectangle size 1 5/8" x 7 5/16"
- 8" x 1 1/4" Recess

FINISHES: 10B (613), BZ (612), PB (605), S (630)

For **CONVERTING UNIT LOCKS** to **LEVER LOCKS**



NUMBER	BACKSET	DOOR	DIMENSIONS
4U-2-CW	2 3/4"	1 3/4"	4 1/2" x 5"

SHELF PACK: 1

Box Pack


GAUGE: 13 (.095) heavy gauge material

FEATURES:

- Converts unit locks to lever locks
- Prepped to accept grade 1 & 2 levers
- Sex bolts used to secure plate to door

FINISHES: BP, DU, S

For **MOUNTING DON-JO HOSPITAL PUSH/PULL LATCHES**



4500-CW
4550-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
4500-CW	2 3/4"	1 3/4"	4 3/4" x 9"
4550-CW	5"	1 3/4"	6 1/2" x 9"

SHELF PACK: 1

Box Pack


GAUGE: 22 (.032)

FEATURES: Also works with ABH 6100 Series, Glenn Johnson HL6 & Hager 311


FINISHES: 10B (613), PB (605), S (630)




For LOCKS with EXTENDED or CONVERTED BACKSETS



Extended
33-CW
55-CW



Converted
33A-CW
55A-CW



Converted
33A-2-CW
55A-2-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
33-CW	3 3/4"	1 3/4"	5 1/2" x 9"
33A-2-CW	2 3/4"	1 3/4"	6 1/2" x 9"
33A-CW	2 3/4"	1 3/4"	6 1/2" x 9"
55-CW	5"	1 3/4"	6 1/2" x 9"
55A-2-CW	2 3/4"	1 3/4"	6 1/2" x 9"
55A-CW	2 3/4"	1 3/4"	6 1/2" x 9"


SHELF PACK: I

Box Pack

GAUGE: 22 (.032)

FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

For THICKER DOORS



200-CW
200C-CW
212-CW
212C-CW
214-CW
214C-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
200-CW	2 3/4"	2"	4 1/4" x 9"
200C-CW	2 3/8"	2"	4 1/4" x 9"
212-CW	2 3/4"	2 1/2"	4 1/4" x 9"
212C-CW	2 3/8"	2 1/2"	4 1/4" x 9"
214-CW	2 3/4"	2 1/4"	4 1/4" x 9"
214C-CW	2 3/8"	2 1/4"	4 1/4" x 9"

SHELF PACK: I


Box Pack

GAUGE: 22 (.032)

FEATURES: • Latch hole centered in door
• Available with lever Prep. - Custom order only

FINISHES: 10B (613), PB (605), S (630)

DOOR REINFORCER for deadbolts & key-in-knob locks



10-FE
20-FE

NUMBER	BACKSET	DOOR	DIMENSIONS
10-FE	—	1 3/8"	4 1/2" x 1"
20-FE	—	1 3/4"	4 1/2" x 1"

SHELF PACK: 10


Display Package Size - 4" x 7 3/4"

GAUGE: 22 (.032)

FINISHES: 10B (613), AB (609), PB (605), S (630)



MORTISE LOCK wrap-around plate for 86 cut-out



504-FE

NUMBER	BACKSET	DOOR	DIMENSIONS
504-FE	—	1 3/4"	12" x 1"

SHELF PACK: 1

Box Pack

GAUGE: 22 (.032)

FEATURES: 8" x 1 1/4" Recess


FINISHES: 10B (613), S (630)

INTERIOR WRAP-AROUNDS

DON-JO MFG., INC. offers a line of Interior Wrap-Arounds. Each is manufactured from high quality

prefinished steel brass plated material and is recommended for INTERIOR use only.

Available for: 1, 2, 3, 4, 5, 6, 7, 8, 51, 61, 71, 81, 30, 40, 70, 80, 154, 264, 484, 151, 261, 481, 258, 942, 943




How to Order:
ie: 1-PB-IW

FLAT FRONT WRAP-AROUNDS

DON-JO MFG., INC. also offers a complete line of "original" Flat Front Wrap-Arounds. They are perfect for repairing, reinforcing or remodeling doors. Speed nuts are supplied with all Flat Front Wrap-Arounds and can be used in certain conditions when door is severely damaged or when replacing a mortise lock.

Available for: 1, 2, 3, 4, 5, 6, 7, 8, 51, 61, 71, 81, 30, 40, 70, 80, 154, 264, 484, 151, 261, 481, 258, 942, 943



How to Order:
ie: 1-PB-VF

